
**PHASE II ENVIRONMENTAL BASELINE SURVEY OF
McCORMICK RANCH, KIRTLAND AIR FORCE BASE,
NEW MEXICO**

Part 3 of 5

**Grace Hagaraty
Jeff Johnson
Pete Middlebrooks**

**GRAM, Inc
8500 Menaul Blvd NE
Albuquerque, NM 87112**

31 January 1996

Final Report

DTIC QUALITY INSPECTED 4

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

19961226 025



**PHILLIPS LABORATORY
Support Directorate
AIR FORCE MATERIEL COMMAND
KIRTLAND AIR FORCE BASE, NM 87117-5776**

Using Government drawings, specifications, or other data included in this document for any purpose other than Government procurement does not in any way obligate the U.S. Government. The fact that the Government formulated or supplied the drawings, specifications, or other data, does not license the holder or any other person or corporation; or convey any rights or permission to manufacture, use, or sell any patented invention that may relate to them.

This report has been reviewed by the Public Affairs Office and is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nationals.


If you change your address, wish to be removed from this mailing list, or your organization no longer employs the addressee, please notify PL/SE, 3550 Aberdeen Ave SE, Kirtland AFB, NM 87117-5776.


Do not return copies of this report unless contractual obligations or notice on a specific document requires its return.

This report has been approved for publication.


CARLA J. DOGGETT
Project Manager

FOR THE COMMANDER


MICHELLE L. HEDRICK, GS-13
Chief, Safety & Environmental
Office


JAMES D. LEDBETTER, Col, USAF
Director, Support Directorate

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

DRAFT SF 298

1. Report Date (dd-mm-yy) 31 January 1996		2. Report Type Final Report		3. Dates covered (from... to) Oct 93 - Jan 95	
4. Title & subtitle Phase II Environmental Baseline Survey of McCormick Ranch, Kirtland AFB, NM , Part 3 of 5				5a. Contract or Grant # F29601-93-C-0219	
				5b. Program Element # 62601F	
6. Author(s) Grace Hagaraty, GRAM, Inc. Jeff Johnson, GRAM, Inc. Pete Middlebrooks, LATA				5c. Project # 9993	
				5d. Task # 00	
				5e. Work Unit # SE	
7. Performing Organization Name & Address GRAM, Inc. 8500 Menaul Blvd. N.E. Albuquerque, New Mexico 87112				8. Performing Organization Report #	
9. Sponsoring/Monitoring Agency Name & Address Phillips Laboratory 3550 Aberdeen Avenue, SE Kirtland AFB, NM 87117-5776				10. Monitor Acronym SE	
				11. Monitor Report # PL-TR-95-1042, Part 3 of 5	
12. Distribution/Availability Statement Approved for Public Release; Distribution is Unlimited					
13. Supplementary Notes Work done in association with Los Alamos Technical Associates					
14. Abstract The Phase II EBS results document the extent of environmental contamination believed to be present on McCormick Ranch. Explosive test areas having the greatest potential for containing soil contaminants were identified using the following geophysical survey methods: EM 31 terrain conductivity meter, magnetometer/gradiometer, and ground penetrating radar. From the geophysical surveys five areas were selected to conduct further environmental analysis. A total of 310 soil samples were collected from the five areas and 13 specific high explosive test sites. The samples were screened for semi-volatile organic compounds, PETN, TNT, TNT-degradation products, nitrates and radioactivity. Laboratory analyses were performed and no explosives or degradation products were identified. Semi-volatile organic compounds were found in 2 samples, manganese was detected in 3 samples, nitrates were discovered below soil action levels and radiation levels were below background. Consequently, it is unlikely that significant contamination exists.					
15. Subject Terms McCormick Ranch, Environmental Baseline Survey, Contamination					
16. Report Unclassified		17. Abstract Unclassified		18. This Page Unclassified	
				19. Limitation of Abstract Unlimited	
				20. # of Pages 216	
21. Responsible Person (Name and Telephone #) Michelle Hedrick 505-846-4574					

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton SITE IDENTIFIER KRLTD154

DATE 9/20/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0759
ST-2	14	0759
ST-3	14	0759
AVERAGE	14	

ANALYTICAL RESULTS FOR BATCH NIT-19

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0214	0747	0807	2	
0215	0747	0807	0	
0216	0747	0807	3	
0217	0747	0807	2	
0218	0747	0807	3	
0219	0747	0807	1	
0220	0747	0807	0	
0220 Dup	0747	0807	1	
0221	0747	0807	1	
0222	0747	0807	0	

Rhonda Methum
Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "I" completed.

**Step 2.1.2 "J" completed.

***Step 2.2 "I" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Phonda
 SITE IDENTIFIER KELTIN54
methuin

DATE 9/20/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0759
ST-2	14	0759
ST-3	14	0759
AVERAGE	14	

ANALYTICAL RESULTS FOR BATCH A17-17[illegible]

Rhonda Mether
Signature (Lab. Tech.)

Signature (Review/Approval)

***Step 2.1.2 "f" completed.**

*****Step 2.1.2 "j" completed.**

***Step 2.2 "F" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Newton/Rhonda Methvin SITE IDENTIFIER KRLT154
 DATE 9/19/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	15	0748
ST-2	15	0748
ST-3	15	0748
AVERAGE	15	

ANALYTICAL RESULTS FOR BATCH NIT-18

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0143	0825	0850	0	
0144	0825	0850	2	
0145	0825	0850	0	
0146	0825	0850	3	
0147	0825	0850	2	
0148	0825	0850	5	
0149	0825	0850	2	
0150	0825	0850	0	
0206	0825	0850	2	
0207	0825	0850	0	

Rhonda Methvin
 Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "f" completed.

**Step 2.1.2 "f" completed.

***Step 2.2 "f" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda Methuen SITE IDENTIFIER KLIND54

DATE 9/19/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	15	0748
ST-2	15	0748
ST-3	15	0748
AVERAGE	15	

ANALYTICAL RESULTS FOR BATCH NIT-12

SAMPLE ID	EXTRACT*	TIME		ANALYZE***	NITRATE (PPM)	COMMENTS
		FILTER**				
0208	0825	0859		0903		Difficult to filter
0209	0825	0850		0857	0	
0210	0825	0850		0857	0	
0211	0825	0850		0858	0	
0212	0825	0850		0858	2	
0213	0825	0850		0858	0	

Rhonda Methuen
Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "f" completed.

**Step 2.1.2 "j" completed.

***Step 2.2 "f" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda Methvin SITE IDENTIFIER KRLIA154

DATE Sept. 16, 1994

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0744
ST-2	14	0744
ST-3	15	0744
AVERAGE	14.3	

ANALYTICAL RESULTS FOR BATCH NIT-17

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0031	0821	0845	3	
0032	0821	0845	3	
0033	0821	0845	8	
0034	0821	0845	9	
0035	0821	0845	7	
0036	0821	0845	7	
0037	0821	0845	4	
0038	0821	0845	0	
0039	0821	0845	0	
0040	0821	0845	0	

Rhonda Methvin
Signature (Lab. Tech.)

Jim Denton
Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "f" completed.

**Step 2.1.2 "f" completed.

***Step 2.2 "f" completed.

9/16/94

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda Methvin SITE IDENTIFIER KRLTDL54

DATE 9/16/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0744
ST-2	14	0744
ST-3	15	0744
AVERAGE	14.3	

ANALYTICAL RESULTS FOR BATCH NIT-17

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0040 Np	0821	0845	0852	0
0131	0821	0845	0852	2
0132	0821	0845	0853	1
0133	0821	0845	0853	2
0134	0821	0845	0853	3
0135	0932	1018	1022	1
0136	0932	1018	1022	0
0137	0932	1018	1023	5
0138	0932	1018	1023	1
0139	0932	1018	1023	0

Rhonda Methvin
Signature (Lab. Tech.)

Signature (Review/Approval)

Jim Denton
*Step 2.1.2 "F" completed.

**Step 2.1.2 "T" completed.

***Step 2.2 "F" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methuin SITE IDENTIFIER KRLD154

DATE 9/16/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0744
ST-2	14	0744
ST-3	15	0744
AVERAGE	14.3	

ANALYTICAL RESULTS FOR BATCH NIT-17

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0140	0932	1018	4	
0140 Dup	0932	1018	4	
0141	0932	1018	0	
0142	0932	1018	2	
Method Blank	NA	NA	0	
Method Blank	NA	NA	0	

Rhonda Methuin
Signature (Lab. Tech.)
Jim Denton

Signature (Review/Approval)

*Step 2.1.2 "F" completed.

**Step 2.1.2 "T" completed.

***Step 2.2 "F" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda Methvin SITE IDENTIFIER KRLTD154

DATE 9/15/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0716
ST-2	14	0716
ST-3	14	0716
AVERAGE	14	

ANALYTICAL RESULTS FOR BATCH AIT-16

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0001	0806	0824	0831	11
0002	0806	0824	0831	3
0003	0806	0824	0831	7
0004	0806	0824	0831	4
0005	0806	0824	0832	4
0006	0806	0824	0832	5
0007	0806	0824	0832	6
0008	0806	0824	0832	5
0009	0806	0824	0833	4
0010	0806	0824	0833	5

Rhonda Methvin
Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "r" completed.

**Step 2.1.2 "T" completed.

***Step 2.2 "r" completed.

9/15/94

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Daulton/Rhonda Methuen SITE IDENTIFIER KRLIN154

DATE 9/15/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0716
ST-2	14	0716
ST-3	14	0716
AVERAGE	14	

ANALYTICAL RESULTS FOR BATCH NIT-16

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0011	0806	0824	0833	5
0012	0806	0824	0833	3
0013	0806	0824	0834	5
0014	0806	0824	0834	5
0015	0806	0824	0834	4
0016	0948	1028	0837	0
0017	0948	1028	0837	3
0018	0948	1028	0837	5
0019	0948	1028	0837	0
0020	0948	1028	0838	3
0020 Dup	0948	1028	0838	3

Rhonda Methuen

Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "I" completed.

**Step 2.1.2 "J" completed.

***Step 2.2 "F" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton SITE IDENTIFIER KRLTD154

DATE 9/15/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0716
ST-2	14	0716
ST-3	14	0716
AVERAGE	14	

ANALYTICAL RESULTS FOR BATCH NIT-16

SAMPLE ID	EXTRACT*	TIME		ANALYZE***	NITRATE (PPM)	COMMENTS
		FILTER**				
0021	0948	1028		1038 1038	3	
0022	0948	1028		1038 1038	1	
0023	0948	1028		1038 1038	2	
0024	0948	1028		1038 1038	3	
0025	0948	1028		1038 1038	0	
0026	0948	1028		1038 1038	3	
0027	0948	1028		1038 1038	5	
0028	0948	1028		1038 1038	5	
0029	0948	1028		1038 1038	0	
0030	0948	1028		1038 1038	4	
Method Blank	NA	NA		0834	0	

Rhonda Methun
Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "f" completed.

**Step 2.1.2 "j" completed.

***Step 2.2 "f" completed.

9/14/94

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda Methvin SITE IDENTIFIER KELT0154

DATE 9/14/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0846
ST-2	15	0846
ST-3	15	0846
AVERAGE	14.6	

ANALYTICAL RESULTS FOR BATCH NIT-15

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0061	0848	0910	0	
0062	0848	0910	5	
0063	0848	0910	2	
0064	0848	0910	6	
0065	0848	0910	2	
0066	0848	0910	18	
0067	0848	0910	0	
0068	0848	0910	5	
0069	0848	0910	3	
0070	0848	0910	3	

Rhonda Methvin
Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "f" completed.

**Step 2.1.2 "j" completed.

***Step 2.2 "f" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methum SITE IDENTIFIER KD10154DATE 9/14/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0846
ST-2	15	0846
ST-3	15	0846
AVERAGE	14.6	

ANALYTICAL RESULTS FOR BATCH NIT-15

SAMPLE ID	EXTRACT*	TIME		ANALYZE***	NITRATE (PPM)	COMMENTS
		FILTER**				
0071	0848	0910		0917	6	
0072	1000	1042		1047	7	
0073	1000	1042		1047	4	
0074	1000	1042		1047	0	
0075	1000	1042		1047	4	
0076	1000	1042		1048	6	
0077	1000	1042		1048	7	
0078	1000	1047		1048	8	
0079	1000	1047		1048	1	
0080	1000	1042		1049	5	

Rhonda Methum
Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "f" completed.

**Step 2.1.2 "f" completed.

***Step 2.2 "f" completed.

9/14/9.

Hand-Meeting

DATE 9/14/94

STANDARD	PPM	TIME
ST-1	14	0846
ST-2	15	0846
ST-3	15	0846
AVERAGE	14.6	

ANALYTICAL RESULTS FOR BATCH NIT-15[illegible]

Signature (Review/Approval)

***Step 2.1.2 "f" completed.**

*****Step 2.1.2''' completed.**

***Step 2.2 "F" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda Methwin SITE IDENTIFIER KEINDIS4

DATE 9/13/94

9/13/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	16	0740
ST-2	16	0740
ST-3	16	0740
AVERAGE	16	

ANALYTICAL RESULTS FOR BATCH NIT-13

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0111	0818	0850	2	
0112	0818	0850	4	
0113	0818	0850	7	
0114	0818	0850	4	
0115	0818	0850	6	
0116	0818	0850	4	
0117	0818	0850	5	
0118	0818	0850	3	
0119	0818	0850	6	
0170	0818	0850	8	

Rhonda Methwin

Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "f" completed.

**Step 2.1.2 "f" completed.

***Step 2.2 "f" completed.

9/13/94

NITRATE FIELD SCREENING WORKSHEET

 LAB. TECH. NAME Jim Denton/Rhonda Methvin SITE IDENTIFIER KEID154
DATE 9/13/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	16	0740
ST-2	16	0740
ST-3	16	0740
AVERAGE	16	

ANALYTICAL RESULTS FOR BATCH NIT-13

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0120 Dup	0818	0850	0902	6
0121	0818	0850	0902	7
0122	0818	0850	0903	5
0123	0818	0850	0903	6
0124	0818	0850	0903	7
0125	0818	0850	0903	5
0126	1001	1040	1045	3
0127	1001	1040	1045	8
0128	1001	1040	1045	1
0129	1001	1040	1046	1

 Rhonda Methvin
 Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "F" completed.

**Step 2.1.2 "I" completed.

***Step 2.2 "F" completed.

9/13/12

SITE IDENTIFIER KRLTD154

DATE 9/13/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	16	0740
ST-2	16	0740
ST-3	16	0740
AVERAGE	16	

ANALYTICAL RESULTS FOR BATCH NIT-13[illegible]

Phonda Mathur

Signature (Lab. Tech.)

Signature (Review/Approval)

Signature (Lab: 10)

*Step 2.1.2 "f" completed.

*****Step 2.1.2''' completed.**

***Step 2.2 "f" completed.

9/13/94

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methvin SITE IDENTIFIER KRLTA154DATE 9/13/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0950
ST-2	14	0950
ST-3	15	0950
AVERAGE		

ANALYTICAL RESULTS FOR BATCH NIT-14

SAMPLE ID	EXTRACT*	TIME		ANALYZE***	NITRATE (PPM)	COMMENTS
		FILTER**				
0041	1001	1040		1046	0	
0042	1001	1040		1046	2	
0043	1001	1040		1047	1	
0044	1001	1040		1047	4	
0045	1001	1040		1047	2	
0046	1001	1040		1047	4	
0047	1001	1040		1048	15	
0048	1001	1040		1048	8	
0049	1001	1040		1048	3	
0050	1001	1040		1048	3	

Rhonda Methvin
Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "I" completed.

**Step 2.1.2 "J" completed.

***Step 2.2 "F" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda Methvin SITE IDENTIFIER KELTA154
 DATE 9/13/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0950
ST-2	14	0950
ST-3	15	0950
AVERAGE	14.3	

ANALYTICAL RESULTS FOR BATCH NIT-14

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0051	1001	1040	9	
0052	1018	1128	3	
0053	1018	1138	8	
0054	1118	1138	3	
0055	1118	1138	3	
0056	1118	1138	1	
0057	1118	1138	3	
0058	1118	1138	3	
0059	1118	1138	2	
0060	1118	1125	3	

Rhonda Methvin
 Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "r" completed.

**Step 2.1.2 "f" completed.

***Step 2.2 "r" completed.

1113/90

phongda
methvin

DATE 9/13/94

STANDARD	PPM	TIME
ST-1	14	0950
ST-2	14	0950
ST-3	15	0950
AVERAGE		

ANALYTICAL RESULTS FOR BATCH NUIT-14[illegible]

Zhende Mothens
Signature (Lab. Tech.)

Signature (Review/Approval)

***Step 2.2 "f" completed.

*****Step 2.1.2''' completed.**

*Step 2.1.2 "f" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda Methum

SITE IDENTIFIER KRT10154

DATE 9/12/94

9/12/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	15	0723
ST-2	15	0723
ST-3	14	0723
AVERAGE	14.66	

ANALYTICAL RESULTS FOR BATCH NIT-12

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0091	0800	0820	0830	R 8 3
0092	0800	0820	0830	8
0093	0800	0820	0830	13
0094	0800	0820	0831	0
0095	0800	0820	0831	R 8 11
0096	0800	0820	0831	7
0097	0800	0820	0832	8
0098	0800	0820	0832	3
0099	0800	0820	0832	5
0100	0800	0820	0833	3

Rhonda Methum
Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "I" completed.

**Step 2.1.2 "II" completed.

***Step 2.2 "F" completed.

9/12/94

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda Methum SITE IDENTIFIER KRL10154
DATE 9/12/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	15	0723
ST-2	15	0723
ST-3	14	0723
AVERAGE	14.66	

ANALYTICAL RESULTS FOR BATCH NIT-12

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0100 Dup	0800	0820	4	
0101	0800	0820	11	
0102	0800	0820	5	
0103	0907	0946	0	
0104	0907	0946	3	
0105	0907	0946	3	
0106	0907	0946	2	
0107	0907	0946	5	
0108	0907	0946	2	
0109	0907	0946	15	

Rhonda Methum
Signature (Lab. Tech.)
Jim Denton
Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "r" completed.

**Step 2.1.2 "j" completed.

***Step 2.2 "f" completed.

15672112

SITE IDENTIFIER KRLT0154

DATE 9/12/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	15	0723
ST-2	15	0723
ST-3	14	0723
AVERAGE	14.66	

ANALYTICAL RESULTS FOR BATCH NIT-12[illegible]

Shanda Mettern
Signature (Lab. Tech.)

Signature (Review/Approval)

*****Step 2.1.2''' completed.**

***Step 2.2 "r" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton Rhonda Methvin SITE IDENTIFIER KRLTJ154

DATE 9/9/94

9/9/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	16	0735
ST-2	16	0735
ST-3	14	0735
AVERAGE	15.3	

ANALYTICAL RESULTS FOR BATCH NIT-11

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0186	0806	0828	0835	4
0187	0806	0828	0835	1
0188	0806	0828	0835	2
0189	0806	0828	0836	1
0190	0806	0828	0836	5
0191	0806	0828	0836	11
0192	0806	0828	0837	4
0193	0806	0828	0837	7
0194	0806	0828	0837	8
0195	0911	0930	0940	8

Rhonda Methvin
Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "I" completed.

**Step 2.1.2 "J" completed.

***Step 2.2 "F" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methvin

SITE IDENTIFIER KRLA154

DATE 9/9/94

9/9/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	16	0735
ST-2	16	0735
ST-3	14	0735
AVERAGE	15.3	

ANALYTICAL RESULTS FOR BATCH NIT-11

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0196	0911	0930	7	
0197	0911	0930	0	
0198	0911	0930	5	
0199	0911	0930	3	
0200	0911	0930	1	
0200 Dup	0911	0930	1	
0201	0911	0930	0	
0202	0911	0930	4	
0203	0911	0930	0	
0204	0911	0930	2	

Rhonda Methvin
Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "f" completed.

**Step 2.1.2 "f" completed.

***Step 2.2 "f" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jon Denton / Rhonda Methvin SITE IDENTIFIER KR12154
 DATE 9/1/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0726
ST-2	14	0726
ST-3	14	0727
AVERAGE	14	

ANALYTICAL RESULTS FOR BATCH NIT-7

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0238	0758	0820	22	
0239	0758	0820	2	
0240	0758	0820	4	
0240 Dup	0758	0820	2	
0241	0758	0820	4	
0242	0758	0820	3	
0243	0758	0820	0	
0244	0758	0820	3	
0245	0758	0820	0	
0286	0758	0820	0	

Rhonda Methvin
 Signature (Lab. Tech.)

Signature (Review/Approval)

***Step 2.2 "f" completed.

**Step 2.1.2 "f" completed.

*Step 2.1.2 "f" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Mathen SITE IDENTIFIER KRL10154
 DATE 9/1/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0726
ST-2	14	0726
ST-3	14	0726
AVERAGE	14	

ANALYTICAL RESULTS FOR BATCH NIT-7

SAMPLE ID	EXTRACT*	TIME		ANALYZE***	NITRATE (PPM)	COMMENTS
		FILTER**				
0287	0853	0925		0930	0	
0288	0853	0925		0930	2	
0289	0853	0925		0931	2	
0290	0853	0925		0931	1	
0291	0853	0925		0932	2	
0292	0853	0925		0932	3	
0293	0853	0925		0933	4	
0294	0853	0925		0933	4	
0295	0853	0925		0934	6	
Method Blank	NA	NA		0934	0	

Rhonda Mathen
 Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "r" completed.

**Step 2.1.2 "T" completed.

***Step 2.2 "f" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Meth SITE IDENTIFIER RL1D154

DATE 8/31/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	15	0725
ST-2	16	0725
ST-3	15	0726
AVERAGE	15.33	

ANALYTICAL RESULTS FOR BATCH NIT-6

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0226	0801	0825	0830	2
0227	0801	0825	0830	2
0228	0801	0825	0831	0
0229	0801	0825	0831	4
0230	0801	0825	0832	0
0231	0801	0825	0833	1
0232	0801	0825	0833	0
0233	0801	0825	0833	0
0234	0801	0825	0834	2182
0235	0801	0825	0834	8
0236	0801	0825	0835	5
0237	0801	0825	0835	6

Signature (Review/Approval)

***Step 2.2 "F" completed.

**Step 2.1.2 "J" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methuen SITE IDENTIFIER KRLT0154

DATE 8/30/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0750
ST-2	15	0751
ST-3	16	0751
AVERAGE	15	

ANALYTICAL RESULTS FOR BATCH NIT-5

SAMPLE ID	EXTRACT*	TIME		ANALYZE***	NITRATE (PPM)	COMMENTS
		FILTER**				
0301	0823	0845		0857	5	
0302	0823	0845		0857	3	
0303	0823	0845		0858	1	
0304	0823	0845		0858	2	
0305	0823	0845		0859	1	
0306	0823	0845		0859	3	
0307	0823	0845		0900	39	
0308	0823	0845		0900	4	
0309	0823	0845		0901	0	
0310	0823	0845		0901	3	
0310 WP	0823	0845		0902	3	
MB	0823	0845		0902	0	

Signature (Review/Approval)

***Step 2.2 "F" completed.

**Step 2.1.2 "F" completed.

*Step 2.1.2 "F" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / R Methuen SITE IDENTIFIER KRLTD/54

DATE 8/29/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0729
ST-2	15	0730
ST-3	14	0731
AVERAGE	14.3	

ANALYTICAL RESULTS FOR BATCH _____

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0151	0830	0900	4	
0152	0830	0900	0	
0153	0830	0900	2	
0154	0830	0900	3	
0155	0830	0900	1	
0156	0830	0900	2	
0157	0830	0900	7	
0158	0830	0900	2	
0159	0830	0900	2	
0160	0921	0945	3	

Jim Denton 8/29/94
Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "f" completed.

**Step 2.1.2 "j" completed.

***Step 2.2 "f" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda Methvin SITE IDENTIFIER KRLIA154
 DATE 8/29/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0729
ST-2	15	0730
ST-3	14	0731
AVERAGE	14.3	

ANALYTICAL RESULTS FOR BATCH _____

SAMPLE ID	EXTRACT*	TIME		ANALYZE***	NITRATE (PPM)	COMMENTS
		FILTER**				
0161	0921	0945		0956	5	
0162	0921	0945		0956	0	
0163	0921	0945		0957	2	
0164	0921	0945		0957	2	
0165	0921	0945		0958	12	
MR	NR	0945		0958	0	
0160 Dup	0921	0945		0955	5	

Rhonda Methvin 8/29/94
 Signature (Lab. Tech.)
Jim Denton
 Signature (Lab. Tech.)

Signature (Review/Approval)

***Step 2.2 "F" completed.

**Step 2.1.2 "J" completed.

*Step 2.1.2 "F" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda Methuen SITE IDENTIFIER KRLTN154

DATE 8/26/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0750
ST-2	15	0751
ST-3	15	0752
AVERAGE	14.67	

ANALYTICAL RESULTS FOR BATCH NIT-3

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0084	0821	0851	45	
0085	0821	0851	0	
0081	0821	0851	3	Trouble filtering, heavy soil
0082	0821	0851	0	Trouble filtering, heavy soil
0083	0821	0851	3	Trouble filtering, heavy soil
0084	0821	0851	48	
0085	0956	1016	0	
0086	0950	1016	1	
0087	0950	1016	1	
0088	0950	1017	0	

Jim Denton
Rhonda Methuen
Signature (Lab. Tech.)

Signature (Review/Approval)

*Step 2.1.2 "I" completed.

**Step 2.1.2 "II" completed.

***Step 2.2 "F" completed.

SITE IDENTIFIER KRLT 0154

LAB. TECH. NAME Jim Denton Rhonda
Methvin

DATE 8/26/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0750
ST-2	15	0751
ST-3	15	0732
AVERAGE	14.67	

ANALYTICAL RESULTS FOR BATCH NIT-3[illegible]

James P. Baker
Deirda M. Baker

Signature (Lab. Tech.)

8/26/92

*Step 2.1.2 "f" completed.

****Step 2.1.2''' completed.**

Signature (Review/Approval)

***Step 2.2 "f" completed.

NITRATE FIELD SCANNING WORKSHEET

LAB. TECH. NAME J.R. Denton

SITE IDENTIFIER KKLT0154

DATE 24 AUG

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	17	1165
ST-2	15	1116
ST-3	16	1117
AVERAGE	16	

ANALYTICAL RESULTS FOR BATCH NT-1[illegible]

James A. Denton
Signature (Lab. Tech.)
24 Aug 96

Signature (Review/Approval)

Step 2.1.2 "f" completed.

*****Step 2.1.2''' completed.**

***Step 2.2 "f" completed.

NITRATE FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methvin

SITE IDENTIFIER KRLTD154

DATE 8/25/94

STANDARD ANALYSES

STANDARD	PPM	TIME
ST-1	14	0800
ST-2	15	0801
ST-3	14	0802
AVERAGE	14.3	

ANALYTICAL RESULTS FOR BATCH NIT-2

SAMPLE ID	TIME		NITRATE (PPM)	COMMENTS
	EXTRACT*	FILTER**		
0278	0839	0850	2	
0279	0839	0850	2	
0280	0839	0850	1	
0281	0839	0850	8	
0282	0839	0850	2	
0283	0839	0850	2	

Jim Denton
Rhonda Methvin

Signature (Lab. Tech.)

25 Aug 94

*Step 2.1.2 "F" completed.

**Step 2.1.2 "T" completed.

***Step 2.2 "F" completed.

Signature (Review/Approval)

9/20/94

PETN FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methum

DATE 9/20/94

SITE IDENTIFIER KRLTD154

BATCH NUMBER TLC-19

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1035	0	
Standard 1	800 PETN	0950	9	In acetone range
Standard 2	1000 PETN	0957	9	In acetone range
Standard 3	100 Diesel	1005	9	In hexane range
Standard 4	500 Diesel	1014	9	In hexane range
Soil Blank	—	—	—	—
Matrix Spike	100000 Diesel			
Blank Spike	4000 PETN	1020	9	In acetone & hexane range
Replicate	100000 Diesel			
	4000 PETN	1028	9	In acetone & hexane range

Rhonda Methum
Signature (Lab Tech)

Signature (Review/Approval)

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
RM 0213	—	—	RM	—	—
0214	0940	5.1	4	5	
0215	0947	5.1	4	6	
0216	0955	5.0	4	6	
0217	1003	5.1	4	6	
0218	1011	5.1	4	6	
0219	1019	5.1	4	6	
0220	1045	5.1	4	6	
0220 Dup	1053	5.1	4	6	
0221	1026	5.1	4	6	
0222	1033	5.0	4	6	

Phreda Methen
Signature (Lab Tech)

Signature (Review/Approval)

SAMPLES

[illegible]

Rhonda Mathews
Signature (Lab Tech)

Signature (Review/Approval)

9/19/94

PETN FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methu SITE IDENTIFIER KRLTD154
 DATE 9/19/94 BATCH NUMBER JLC-18

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1113	0	
Standard 1	800 PETN	1025	9	In acetone range
Standard 2	1000 PETN	1030	9	In acetone range
Standard 3	100 Diesel	1036	9	In hexane range
Standard 4	500 Diesel	1044	9	In hexane range
Soil Blank	—	—	—	
Matrix Spike	—	—	—	
Replicate	—	—	—	

Rhonda Methu
 Signature (Lab Tech)

 Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0143	0958	5.0	4	0	
0144	1004	5.0	4	0	
0145	1011	5.0	4	0	
0146	1017	5.0	4	0	
0147	1025	5.0	4	0	
0148	1031	5.0	4	0	
0149	1039	4.9	4	0	
1150	1046	5.0	4	0	
0206	1115	5.0	4	0	
0207	1120	4.9	4	0	
0208	1120	5.0	4	0	

F-39

Rhonda Matheson

Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0209	1127	4.9	4	0	
0210	1134	5.0	4	0	
0211	1140	5.1	4	0	
0212	1126	5.0	4	0	
0213	1134	5.0	4	0	

F-40

Rhonda Mathew
Signature (Lab Tech)

Signature (Review/Approval)

9/16/94

PETN FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methuen

SITE IDENTIFIER KRLI D154

DATE 9/16/94

BATCH NUMBER TLC-17

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1348	0	
Standard 1	800 PETN	1210	9	In acetone range
Standard 2	1000 PETN	1220	9	In acetone range
Standard 3	100 Diesel	1230	9	In hexane range
Standard 4	500 Diesel	1240	9	In hexane range
Soil Blank	N/A	N/A	0	
0140 513	10000 Diesel			
Matrix Spike	4000 PETN	1255	9	In acetone & hexane range
Blank Spike	10000 Diesel			
Replicate	4000 PETN	1306	9	In acetone & hexane range

Rhonda Methuen
Signature (Lab Tech)

Signature (Review/Approval)

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0131	1232	5.1	4	0	
0132	1239	5.1	4	0	
0133	1246	5.0	4	0	
0134	1253	5.1	4	0	
0135	1255	5.0	4	0	
0136	1305	5.1	4	0	
0137	1311	5.0	4	0	
0138	1316	5.0	4	0	
0139	1322	5.1	4	0	
0140	1453	5.0	4	0	
0140 Dup	1458	5.1	4	0	

F-42

Rhonda Methers
Signature (Lab Tech)

Signature (Review/Approval)

SAMPLES

[illegible]

Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Mathews

SITE IDENTIFIER KRLTN154

DATE 9/16/94

BATCH NUMBER TLQ-17

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1320	0	
Standard 1	800 PETN	1205	9	In acetone range
Standard 2	1000 PETN	1215	9	In acetone range
Standard 3	100 Diesel	1225	9	In hexane range
Standard 4	500 Diesel	1235	9	In hexane range
Soil Blank		1315	0	
2040 4.93 Matrix Spike	100000 Diesel 4000 PETN	1245	9	In acetone & hexane range
Blank Spike Replicate	100000 Diesel 4000 PETN	1301	9	In acetone & hexane range

Rhonda Mathews
Signature (Lab Tech)

Signature (Review/Approval)

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0031	1130	5.0	4	0	
0032	1136	5.1	4	0	
0033	1141	5.0	4	0	
0034	1148	4.9	4	0	
0035	1158	5.1	4	0	
0036	1205	5.0	4	0	
0037	1211	5.0	4	0	
0038	1218	4.9	4	0	
0039	1225	5.0	4	0	
0040	1325	5.1	4	0	
0040 Dup	1335	5.1	4	0	

F-45

Phonda Methers

Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Newton / Rhonda Methvin

SITE IDENTIFIER KRLTA154

DATE 9/15/94

BATCH NUMBER TNT-16

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1336	0	
Standard 1	800 PETN	1254	9	In acetone range
Standard 2	1000 PETN	1305	9	In acetone range
Standard 3	100 Diesel	1312	9	In hexane range
Standard 4	500 Diesel	1318	9	In hexane range
Soil Blank				
Matrix Spike	100000 Diesel			
Blank Spike	4000 PETN	1325	9	In hexane & acetone range
Replicate	100000 Diesel			
	4000 PETN	1333	9	In hexane & acetone range

Rhonda Methvin

Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0001	1135	5.1	4	0	
0002	1146	5.1	4	0	
0003	1155	5.1	4	0	
0004	1204	5.1	4	0	
0005	1212	5.1	4	0	
0006	1220	5.1	4	0	
0007	1227	5.0	4	0	
0008	1233	5.0	4	0	
0009	1239	5.1	4	0	
0010	1245	5.0	4	0	
0011	1248	5.1	4	0	

F-47

Rhonda Methen

Signature (Lab Tech)

Signature (Review/Approval)

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0012	1259	5.1	4	0	
0013	1307	5.0	4	0	
0014	1315	5.1	4	0	
0015	1321	5.1	4	0	
0016	1329	4.9	4	0	
0017	1336	5.0	4	0	
0018	1343	5.0	4	0	
0019	1350	5.0	4	0	
0020	1343	4.9	4	0	
0020 Dup	1350	5.1	4	0	
0021	1355	5.1	4	0	

Rhonda Mathews

Signature (Lab Tech)

Signature (Review/Approval)

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0022	1405	5.0	4	0	
0023	1413	5.1	4	0	
0024	1419	5.0	4	0	
0025	1426	5.1	4	0	
0026	1428	4.9	4	0	
0027	1359	5.0	4	0	
0028	1407	4.9	4	0	
0029	1414	5.1	4	0	
0030	1423	5.1	4	0	

F-49

Rhonda Methen
Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methvin

DATE 9/14/94

SITE IDENTIFIER KELTAL54

BATCH NUMBER INT-15

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1241	8	
Standard 1	800 PETN	1155	9	In acetone range
Standard 2	1000 PETN	1203	9	In acetone range
Standard 3	100 Diesel	1207	9	In hexane range
Standard 4	500 Diesel	1215	9	In hexane range
Soil Blank	8	1234	8	
Matrix Spike	100000 Diesel / 4000 PETN	1222	9	In acetone & hexane range
Blank Spike Replicate	100000 Diesel / 4000 PETN	1228	9	In acetone & hexane range

Rhonda Methvin
Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0061	1321	5.0	4	7	Slight indication in hexane range, will re-run
0062	1328	5.0	4	8	
0063	1335	5.0	4	8	
0064	1344	5.0	4	8	
0065	1351	4.9	4	8	
0066	1400	5.0	4	8	
0067	1408	5.1	4	8	
0068	1415	5.1	4	8	
0069	1421	5.0	4	8	Slight indication will re-run to verify
0070	1429	5.1	4	8	
0071	1340	5.1	4	8	

Rhonda Methun
Signature (Lab Tech)

Signature (Review/Approval)

F-51

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0072	1343	5.1	4	0	
0073	1353	5.0	4	0	
0074	1401	5.0	4	0	
0075	1249	4.9	4	0	
0076	1255	5.1	4	9	Slight indication in hexane range. Will re-run
0077	1303	5.0	4	0	
0078	1314	5.1	4	0	
0079	1321	5.0	4	0	
0080	1327	5.1	4	0	
0080 Dup	1335	5.1	4	0	

F-52

Rhonda Methers
Signature (Lab Tech)

Signature (Review/Approval)

SAMPLES

[illegible]

Rhonda Methum
Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

Re-run from 9/13/94

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0041	1450	5.0	4	9	In acetone range
0043	1500	5.0	4	9	In acetone range
0046	1507	5.0	4	9	In acetone range
0048	1517	5.0	4	9	In acetone range
0049	1526	5.1	4	9	In acetone range
0056	1534	5.0	4	9	In acetone range
0057	1544	5.0	4	9	In acetone range
0058	1552	5.1	4	9	In acetone range
0059	1603	5.0	4	9	In acetone range
0060	1615	5.1	4	0	

Rhonda Mathews

Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda MethuenSITE IDENTIFIER KRLTD154DATE 9/13/94BATCH NUMBER TLQ-13

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1743	0	
Standard 1	800 PETN	1645	9	IN acetone range
Standard 2	1000 PETN	1655	9	IN acetone range
Standard 3	100 Diesel	1703	9	IN hexane range
Standard 4	500 Diesel	1709	9	IN hexane range
Soil Blank	N/A	1733	0	
Matrix Spike	10000 Diesel	1719	9	IN acetone & hexane range
Blank Spike	4000 PETN			
Replicate	10000 Diesel	1724	9	IN acetone & hexane range
	4000 PETN			

Rhonda Methuen
 Signature (Lab Tech)

 Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0111	1237	5.1	4	0	
0112	1244	5.1	4	0	
0113	1253	5.1	4	0	
0114	1300	5.1	4	0	
0115	1308	5.0	4	0	
0116	1322	5.1	4	0	
0117	1330	5.0	4	0	
0118	1337	5.1	4	0	
0119	1345	5.1	4	0	
0120	1740	5.1	4	0	
0120 Dup	1750	5.0	4	0	

1-56

Rhonda Mathews
Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0121	1352	5.1	4	0	
0122	1358	4.9	4	0	
0123	1404	5.1	4	0	
0124	1410	5.1	4	0	
0125	1417	5.1	4	0	
0126	1424	5.1	4	0	
0127	1430	5.0	4	0	
0128	1436	5.0	4	0	
0129	1442	5.0	4	0	
0130	1447	5.1	4	0	

Rhonda Methers
Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methvin

DATE 9/13/14

SITE IDENTIFIER KRLD154

BATCH NUMBER ILC-14

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A		0	
Standard 1	800 PETN	1647	9	
Standard 2	1000 PETN	1657	9	
Standard 3	100 Diesel	1705	9	
Standard 4	500 Diesel	1711	9	
Soil Blank	—	—	—	—
Matrix Spike	100000 Diesel	1721	9	
Blank Spike	4000 PETN			
Replicate	100000 Diesel	1723	9	

Rhonda Methvin
Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0041	1535	5.0	4	9	In acetone range will re-run 9/14
0042	1542	5.1	4	8	
0043	1549	5.0	4	9	In acetone range will re-run 9/14
0044	1554	5.1	4	8	
0045	1601	4.9	4	8	
0046	1608	5.0	4	9	In acetone range will re-run 9/14
0047	1615	5.0	4	8	
0048	1621	5.0	4	9	In acetone range will re-run 9/14
0049	1628	5.1	4	9	In acetone range will re-run 9/14
0050	1635	5.1	4	8	
0051	1643	5.1	4	8	

Rhonda Mother

Signature (Lab Tech)

Signature (Review/Approval)

F-59

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0052	1648	5.0	4	0	
0053	1654	5.0	4	0	
0054	1701	4.9	4	0	
0055	1708	5.1	4	0	
0056	1714	5.0	4	9	In acetone range. Will re-run 9/14
0057	1719	5.0	4	9	In acetone range. Will re-run 9/14
0058	1729	5.1	4	9	In acetone range. Will re-run 9/14
0059	1735	5.0	4	9	In acetone range. Will re-run 9/14
0060	1733	5.0	4	9	In acetone range. Will re-run 9/14
0060 Dup	1743	5.1	4	9	In acetone range. Will re-run 9/14

Rhonda Methum
Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

9/12/94

LAB. TECH. NAME Jim Deaton / Rhonda Mathews

SITE IDENTIFIER KRLTD154

DATE 9/12/94

BATCH NUMBER TLC-12

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1218	0	
Standard 1	800 PETN	1125	9	
Standard 2	1000 PETN	1134	9	
Standard 3	500 Diesel	1154	9	
Standard 4	100 Diesel	1144	9	
Soil Blank	N/A	N/A	N/A	
5.0 S Matrix Spike	100000 Diesel 4000 PETN	1212	9	
Blank Spike Replicate	100000 Diesel 4000 PETN	1203	9	

Rhonda Mathews
Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

9/12/94

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0091	1040	5.0	4	0	
0092	1046	5.1	4	0	
0093	1053	5.1	4	0	
0094	1115	5.0	4	0	
0095	1124	5.0	4	0	
0096	1137	5.1	4	0	
0097	1146	5.0	4	0.9	Only shows when developed in iodine In acetone range. Return to confirm
0098	1155	5.0	4	0	
0099	1203	5.1	4	0	
0100	1205 1212	5.1	4	0	
0100 Dup	1235	5.1	4	0	

F-62

Rhonda Mathews

Signature (Lab Tech)

C. Dinton

Signature (Review/Approval)

PETN FIELD SCANNING WORKSHEET

7/12/94

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0101	1212	5.0	4	0	
0102	1218	5.0	4	0	
0103	1226	5.0	4	0	
0104	1234	5.1	4	0	
0105	1240	5.0	4	0	
0106	1247	5.0	4	0	
0107	1257	5.0	4	0	
0108	1243	5.1	4	0	
0109	1253	5.0	4	0	
0110	1300	5.0	4	0	
0097-RE	1335	5.0	4	9	Only shows when developed in iodine LN acetone range

F-63

Rhonda Methum
Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

9/9/94

LAB. TECH. NAME Jim Denton / Rhonda
Methuen

SITE IDENTIFIER RLD154

DATE 9/9/94

BATCH NUMBER TLC-11

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1253	Ø	
Standard 1	800 PETN	1155	9	Acetone & hexane range
Standard 2	1000 PETN	1200	9	Acetone & hexane range
Standard 3	100 Diesel	1207	9	Acetone & hexane range
Standard 4	500 Diesel	1215	9	Acetone & hexane range
5.0g Soil Blank	N/A	1240	Ø	
5.1g Matrix Spike	100,000 Diesel			
Blank Spike	4000 PETN	1223	9	Acetone & hexane range
Replicate	100,000 Diesel			
	4000 PETN	1231	9	Acetone & hexane range

Rhonda Methuen
Signature (Lab Tech)

Jim Denton
Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

9/9/94

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0186	1131	5.1	4	0	
0187	1138	5.1	4	0	
0188	1145	5.0	4	0	
0189	1157	5.0	4	0	
0190	1210	5.0	4	0	
0191	1220	5.1	4	0	
0192	1230	5.1	4	0	
0193	1237	5.0	4	4	At acetone line, will run to verify
0194	1247	5.0	4	0	
0195	1255	5.1	4	0	
0196	1301	5.1	4	0	

F-65

Phinda Mathew

Signature (Lab Tech)

Joe Linter

Signature (Review/Approval)

9/9/9

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0197	1310	5.1	4	0	
0198	1315	5.0	4	0	
0199	1323	5.1	4	0	
0200	1301	5.0	4	0	
0200 Dup	1310	5.1	4	0	
0201	1317	5.1	4	0	
0202	1325	5.0	4	0	
0203	1334	5.1	4	0	
0204	1330	5.1	4	0	
0205	1335	5.1	4	0	
0193 RE	1400	5.0	4	9	In acetone area

F-66

Rhonda Mathew

Signature (Lab Tech)

Jim Linton

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

9/8/94

LAB. TECH. NAME Jim Denton Rhonda Methum SITE IDENTIFIER KRLID154

DATE 9/8/94

BATCH NUMBER TLC-10

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1230	0	
Standard 1	800 PETN	1133	9	
Standard 2	1000 PETN	1143	9	
Standard 3	500 Diesel	1150	9	
Standard 4	1000 Diesel	1200	9	
Soil Blank	N/A	N/A	N/A	
Matrix Spike	100000 Diesel 4000 PETN	1210	9	
Blank Sp. Ke Replicate	100000 Diesel 4000 PETN	1220	9	

Rhonda Methum
Signature (Lab Tech)
Jim Denton

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

9/8/9

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0166	1125	5.0	4	0	
0167	1133	5.1	4	0	
0168	1145	5.1	4	0	
0169	1155	5.0	4	0	
0170	1203	5.1	4	0	
0171	1208	5.0	4	0	
0172	1215	5.0	4	0	
0173	1225	5.1	4	0	
0174	1232	5.1	4	0	
0175	1241	5.1	4	0	
0176	1250	5.1	4	0	

89.1

Rhonda Mathew

Signature (Lab Tech)

John Linton

Signature (Review/Approval)

9/8/92

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0177	1259	5.1	4	0	
0178	1305	5.1	4	0	
0179	1240	5.1	4	0	
0180	1250	5.1	4	0	
0180 Dup	1257	5.0	4	0	
0181	1307	5.1	4	0	
0182	1312	5.1	4	0	
0183	1320	5.0	4	0	
0184	1313	5.1	4	0	
0185	1320	5.0	4	0	

16-69

Rhonda Methers

Signature (Lab Tech)

Erin Lento

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methvin

DATE 9/6/94

SITE IDENTIFIER KRLTDJ54

BATCH NUMBER ILC-9

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	115.3	0	
Standard 1	PETN 800	0955	9	
Standard 2	PETN 1000	1003	9	
Standard 3	Diesel 500	1015	9	
Standard 4	Diesel 1000	1024	9	
Soil Blank		1140	0	
Matrix Spike	Diesel 100,000			
Blank Spike	PETN 4000	1054	9	
Replicate	Diesel 100,000			
	PETN 4000	1045	9	

Rhonda Methvin
Signature (Lab Tech)



Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0266	1003	5.1	4	0	
0267	1012	5.1	4	0	
0268	1019	5.0	4	0	
0269	1028	5.1	4	0	
0270	1035	5.1	4	0	
0296	1045	5.0	4	0	
0297	1055	5.1	4	0	
0298	1140	5.1	4	0	
0299	1200	5.0	4	0	
0300	1147	5.0	4	0	
0300 Dup	1155	5.0	4	0	

11-71


 Signature (Lab Tech)


Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methvin SITE IDENTIFIER KRLTD154

DATE 9/2/94

BATCH NUMBER TLC-8

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1200	0	
Standard 1	PETN 800	1115	9	
Standard 2	PETN 1000	1125	9	
Standard 3	DIESEL 500	1135	9	
Standard 4	DIESEL 1000	1145	9	
Soil Blank				
Matrix Spike	100000 Diesel 4000 PETN	1210	9	
Blank Spike Replicate	100000 Diesel 4000 PETN	1220	9	

Rhonda Methvin
Signature (Lab Tech)

Jim Denton

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0251	1228 5.1	5.1	4	0	
0252	1240	5.1	4	0	
0253	1250	5.1	4	0	
0254	1255	5.0	4	0	
0255	1255	5.1	4	0	
0256	1115	5.1	4	0	
0257	1123	5.1	4	0	
0258 0001	1133	5.1	4	0	
0258 0002	1140	5.0	4	0	
0259	1150	5.1	4	0	
0260	1200	5.0	4	0	

73

Rhonda Methum
Signature (Lab Tech)

Jim Danto


Signature (Review/Approval)


PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0260 Dup	1205	5.0	4	0	
0261	1213	5.0	4	0	
0262	1220	5.0	4	0	
0263	1230	5.0	4	0	
0264	1240	5.0	4	0	
0265	1250	5.1	4	0	

F-74


 Signature (Lab Tech)


 Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda Methum SITE IDENTIFIER KRTD154

DATE 9/1/94

BATCH NUMBER TLL-7

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1230	0	
Standard 1	PETN 800	1135	9	
Standard 2	PETN 1000	1150	9	
Standard 3	DIESEL 500	1210	9	
Standard 4	DIESEL 1000	1220	9	
Soil Blank	N/A	1240 1245	0	
Matrix Spike	10000 Diesel			
Black Spike	4000 PETN	1305	9	
Replicate	10000 Diesel			
	4000 PETN	1255	9	

Rhonda Methum

Signature (Lab Tech)

Jim Denton

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

9/1, /94

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0238	1313	5.0	4	0	
0239	1325	5.0	4	0	
0240	1335	5.1	4	0	
0240 Dup	1345	5.1	4	0	
0241	1340	5.0	4	0	
0242	1135	5.0	4	0	
0243	1150	5.0	4	0	
0244	1155	5.0	4	0	
0245	1205	5.0	4	0	
0286	1213	5.0	4	0	
0287	1220	5.0	4	0	

1. 76

Rhonda Mathern
Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

9/1/94

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0288	1230	5.1	4	0	
0289	1240	5.1	4	0	
0290	1250	5.1	4	0	
0291	1259	5.0	4	0	
0292	1306	5.1	4	0	
0293	1313	5.1	4	0	
0294	1320	5.0	4	0	
0295	1325	5.0	4	0	

1-77

Rhonda Methuen
 Signature (Lab Tech)
Jim Denton

 Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methem

SITE IDENTIFIER KRLTD154

DATE 8/31/94

BATCH NUMBER TLC-6

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1200		
Standard 1	PETN 800	1010		
Standard 2	PETN 1000	1021		
Standard 3	DIESEL 500	1031		
Standard 4	DIESEL 1000	1045		
Soil Blank				
Matrix Spike				
Replicate				

Jim Denton
Rhonda Methem 8/31/94
 Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0226	1210	5.0	4	0	
0227	1220	5.0	4	0	
0228	1230	5.1	4	0	
0229	1240	5.0	4	0	
0230	1250	5.0	4	0	
0231	1255	5.1	4	9	Acetone & Hexane strong indication, Return 8/31
0232	1010	5.0	4	0	
0233	1020	5.0	4	0	
0234	1030	5.1	4	0	
0235	1040	5.0	4	0	
0236	1050	5.1	4	0	

Traci Denton

Rhonda Methers 8/31/94

Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0237	1200	5.1	4	0	
0271	1206	5.0	4	0	
0272	1216	5.1	4	0	
0273	1226	5.1	4	0	
0274	1236	5.0	4	0	
0275	1246	5.1	4	0	
				0	
0231R	1330	5.1	4	8	Hexane range. Positive

F-80

Joni Denton

Rhonda Methum 8/31/94

Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methvin SITE IDENTIFIER KRLTD154

DATE 8/30/94 BATCH NUMBER PETN-5

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1135	0	
Standard 1	PETN 800	1000	9(A)	Acetone
Standard 2	PETN 1000	1015	9(A)	Acetone
Standard 3	DIESEL 500	1035	9	Hexane
Standard 4	DIESEL 1000	1130	9	Hexane
Soil Blank	NA	1155	0	
Matrix Spike	10000 DIESEL	1209	9	Acetone & Hexane
BLANK SPIKE	4000 PETN	1223	9	Acetone & Hexane
Replicate	10000 DIESEL			
Blank	4000 PETN			

ASSAYS Blank N

Jim Denton
Rhonda Methvin

Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0301	1245	5.0	4	0	
0302	1237	5.0	4	0	
0303	1225	5.0	4	0	
0304	1010	5.1	4	0	
0305	1025	5.0	4	0	
0306	1037	5.1	4	0	
0307	1130	5.0	4	0	
0308	1135	5.1	4	0	
0309	1150	5.0	4	0	
0310	1203	5.0	4	0	
0310A	1215	5.0	4	0	

Traci Denton
Rhonda Methum

Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

8/29/94

LAB. TECH. NAME Jim Denton / Blonde Methuam SITE IDENTIFIER KRLTD154

BATCH NUMBER 7A-PETN-4

DATE 8/29/94

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1410	0	
Standard 1	PETN 800	1225	9	Acetone
Standard 2	PETN 1000	1240	9	Acetone
Standard 3	DIESEL 100	1255	9	Hexane
Standard 4	DIESEL 500	1310	9	Hexane
Soil Blank	None	1325	0	1
Matrix Spike	PETN 400			
Blank Spike	Diesel 500	1340	9	Acetone & Hexane
Replicate	PETN 400			
	Diesel 500	1355	9	Acetone & Hexane

Method Blank None-Rm

Jim Denton

Blonde Methuam
Signature (Lab Tech)

Signature (Review/Approval)

F-8W

8/29/94

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0081	1425	5.1	4	0	
0082	1440	5.0	4	0	
0087	1455	5.0	4	0	
0088	1525	5.0	4	0	
0090	1530	5.0	4	0	
0151	1510	5.1	4	0	
0152	1525	5.1	4	0	
0153	1535	5.1	4	0	
0154	1545	5.0	4	0	
0155	1725	5.0	4	0	
0156	1740	5.0	4	0	

Eric Denton

Rhonda Mathews

Signature (Lab Tech)

Signature (Review/Approval)

F-84

PETN FIELD SCREENING WORKSHEET

8/24/94

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0157	1255	5.1	4	0	
0158	1310	5.0	4	0	
0159	1325	5.0	4	0	
0160	1340	5.0	4	0	
0161	1355	5.1	4	0	
0162	1410	5.0	4	0	
0163	5.1 1425	5.0	4	0	
0164	1440	5.0	4	0	
0165	1455	5.0	4	0	
0160 Dup	1510	5.0	4	0	

F-85

David Denton

Rhonda M. Thorne

Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Newton / Rhonda Methum

DATE 8/26/94

SITE IDENTIFIER KRLT D154

BATCH NUMBER ^{TLC} PETN 3

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A			
Standard 1	800 PPM PETN	1245	9	Acetone
Standard 2	1000 PPM PETN	1300	9	Acetone
Standard 3	100 PPM Diesel	1315	9	Hexane
Standard 4	500 PPM Diesel	1330	9	Hexane
Soil Blank	NA			
Matrix Spike	NA			
Replicate	NA			

Jim Newton

Rhonda Methum

Signature (Lab Tech)

Signature (Review/Approval)

F-86

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0276	1400	5.1	4	0	
0277	1415	5.1	4	0	
0284	1430	4.9	5	0	Added Na ₂ SO ₄
0285	1445	4.9	4	0	
0081	1500	5.1	4	0	
0084	1515	5.1	4	0	
0085	1530	5.0	4	0	
0086	1545	5.1	4	0	
0083	1600	5.0	4	0	
0087	1615	5.1	4	0	
0088	1630	5.1	4	0	

Tim Linton

Rhonda Methuen

Signature (Lab Tech)

Signature (Review/Approval)

F-87

PETN FIELD SC...ENING WORKSHEET

SAMPLES

[illegible]

Dr. Denton

Theresa Methuen

Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methvin

DATE 8/25/94

SITE IDENTIFIER KRLIN 154

BATCH NUMBER ILC-2

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A	1215	Ø	
Standard 1	PETN 300	12:39	9	Acetone
Standard 2	PETN 400	12:53	9	Acetone
Standard 3	Diesel 100	13:10	9	Hexane
Standard 4	Diesel 500	13:27	9	Hexane
Soil Blank				
Matrix Spike	100,000 Diesel 4000 ppm PETN	15:45	9	Acetone
Replicate				

Jim Denton

Signature (Lab Tech)

Signature (Review/Approval)

PETN FIELD SCREENING WORKSHEET

SAMPLES

ID	Spot Time	Sample (grams)	Solvent (mL)	Rf	Notes
0276	1339	5.0	4ml	0.9 0.9	(Hexane) Strong hydrocarbon
0277	1355	5.1	4ml	0.9 0.9	(Hexane) indication
0278	1410	5.0	4ml	0	
0279	1427	5.0	4ml	0	
0280	1440	5.1	4ml	0	
0281	1455	5.0	4ml	0	
0282	1500	5.0	4ml	0	
0283	1515	5.1	4ml	0	
0280 MS	1530	5.1	4ml	0	
0280 Dup	1530	5.0	4ml	0	

Joe Denton

Shirada Mithun
Signature (Lab Tech)

Signature (Review/Approval)

LAB. TECH. NAME Ph. on da

SITE IDENTIFIER KALSD 154

DATE 24 Aug 94

BATCH NUMBER TLC 1

QUALITY ASSURANCE/QUALITY CONTROL

Type	Concentration/ID	Spot Time	Rf	Notes
Method Blank	N/A			No Detection
Standard 1	40 ppm / PETN			No indication
Standard 2	32 ppm / PETN			No indication
Standard 3	100 ppm Diethyl			Visible
Standard 4	500 ppm Diethyl			Visible
Soil Blank	N/A			
Matrix Spike	N/A			
Replicate	N/A			

Jim Lintor
Signature (Lab Tech)

Signature (Review/Approval)

TNT FIELD SCREENING WORKSHEET

9/20/94

LAB. TECH. NAME Jim Denton / Rhonda MethumSITE IDENTIFIER KRLT N154DATE 9/20/94BATCH NUMBER TNT-19TIME 0826Abs(background) 0.000 Abs(control) 0.355

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0214	0.000	0.002	0.000	0.002	0.062
0215	0.000	0.005	0.000	0.005	0.155
0216	0.000	0.001	0.000	0.001	0.031
0217	0.001	0.002	0.004	- 0.002	0
0218	0.001	0.003	0.004	- 0.001	0
0219	0.001	0.002	0.004	- 0.002	0
0220	0.001	0.003	0.004	- 0.001	0
0220 Dup	0.001	0.003	0.004	- 0.001	0
0221 Blank	0.001	0.002	0.004	- 0.002	0
0221	0.001	0.002	0.004	- 0.002	0
0222	0.001	0.003	0.004	- 0.001	0

Rhonda Methum
Signature (lab tech)

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/20/94

LAB. TECH. NAME Jim Denton/Rhonda MethvinDATE 9/20/94SITE IDENTIFIER KRLT154BATCH NUMBER TNT-19TIME 0826Abs(background) 0.000Abs(control) 0.355

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0223	0.001	0.004	0.004	0	0
0224	0.002	0.004	0.008	-0.004	0
0225	0.001	0.005	0.004	+0.001	0.031

Rhonda Methvin
Signature (lab tech)_____
Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/19/94

LAB. TECH. NAME Jim Denlow / Rhonda MethvinSITE IDENTIFIER KRLTD 154DATE 9/19/94BATCH NUMBER TNT-18TIME 0928Abs(background) 0.001 Abs(control) 0.349

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0143	0.002	0.003	0.008	- 0.005	0
0144	0.002	0.004	0.008	- 0.004	0
0145	0.003	0.004	0.012	- 0.008	0
0146	0.003	0.004	0.012	- 0.008	0
0147	0.003	0.004	0.012	- 0.008	0
0148	0.003	0.004	0.012	- 0.008	0
0149	0.004	0.008	0.016	- 0.008	0
0150	0.004	0.005	0.016	- 0.011	0
0206	0.004	0.007	0.016	- 0.009	0
0207	0.005	0.007	0.020	- 0.013	0
0208	0.004	0.009	0.016	- 0.007	0

Rhonda Methvin
Signature (lab tech)

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/19/94

LAB. TECH. NAME Jim Denlon / Rhonda Methvin SITE IDENTIFIER KRLTD 154
DATE 9/19/94 BATCH NUMBER TNT-18

TIME 0928Abs(background) 0.001 Abs(control) 0.349

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0209	0.005	0.007	0.020	- 0.013	6
0210	0.006	0.008	0.024	- 0.016	6
0211	0.005	0.007	0.020	- 0.013	6
0212	0.006	0.014	0.024	- 0.010	8
0213	0.006	0.010	0.024	- 0.014	8

Rhonda Methvin
Signature (lab tech)

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/16/94

LAB. TECH. NAME Jim Denton / Rhonda MethuenSITE IDENTIFIER KRLTD154DATE 9/16/94BATCH NUMBER TNT-17TIME 1000Abs(background) 0.001Abs(control) 0.367

	1	2	3	4	5	6
	Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
10	0031	0.001	0.002	0.004	- 0.002	0
9.9	0032	0.001	0.002	0.004	- 0.002	0
10	0033	0.000	0.001	0	0.001	0.031
9.9	0034	0.002	0.009	0.008	0.001	0.031
10	0035	0.001	0.007	0.004	0.003	0.093
10	0036	0.001	0.003	0.004	- 0.001	0
9.9	0037	0.000	0.002	0	0.002	0.062
9.9	0038	0.001	0.003	0.004	- 0.001	0
9.9	0039	0.001	0.003	0.004	- 0.001	0
10	0040	0.001	0.003	0.004	- 0.001	0
10.1	0040 Dup	0.001	0.003	0.004	- 0.001	0

Rhonda Methuen

Signature (lab tech)

Jim Denton

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/16/94

LAB. TECH. NAME Jim Denton / Rhonda MethvinSITE IDENTIFIER KRLTD154DATE 9/16/94BATCH NUMBER TNT-17TIME 1000Abs(background) 0.001 Abs(control) 0.367

	1	2	3	4	5	6
	Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
10	Soil Blank	0.001	0.004	0.004	0	0
10	0131	0.001	0.002	0.004	- 0.002	0
10	0132	0.001	0.002	0.004	- 0.002	0
10	0133	0.001	0.003	0.004	- 0.001	0
9.9	0134	0.003	0.012	0.012	0	0
10.1	0135	0.001	0.003	0.004	- 0.001	0
10	0136	0.001	0.005	0.004	+ 0.001	0.031
9.9	0137	0.004	0.010	0.016	- 0.006	0
10	0138	0.001	0.004	0.004	0	0
10	0139	0.001	0.002	0.004	- 0.002	0
9.9	0140	0.002	0.009	0.008	+ 0.001	0.031

Rhonda Methvin
Signature (lab tech)

Jim Denton

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/16/94

LAB. TECH. NAME Jim Denton/Rhonda MethvinSITE IDENTIFIER KRLTD154DATE 9/16/94BATCH NUMBER TNT-17TIME 1000Abs(background) 0.001 Abs(control) 0.367

	1	2	3	4	5	6
	Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
10	0140 Dup	0.001	0.009	0.004	0.005	0.155
9.5	0141	0.001	0.006	0.004	0.002	0.062
10	0142	0.002	0.007	0.008	-0.001	0
	Method Blank	0.001	0.001	0.004	-0.003	0
	Method Blank	0.001	0.002	0.004	-0.002	0

Rhonda Methvin
Signature (lab tech)

Jim Denton

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/15/94

LAB. TECH. NAME Jim Denton / Rhonda Methvin SITE IDENTIFIER KRLTD 154
 DATE 9/15/94 BATCH NUMBER TNT-112

TIME 1013

Abs(background) 0.000 Abs(control) 0.354

	1	2	3	4	5	6
	Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
023	0001	0.007	0.009	0.028	-0.019	0
	0002	0.000	0.002	0.000	0.002	0.062
	0003	0.001	0.004	0.004	0	0
	0004	0.000	0.003	0.000	0.003	0.093
	0005	0.001	0.004	0.004	0	0
	0006	0.000	0.003	0.000	0.003	0.093
	0007	0.000	0.001	0.000	0.001	0.031
	0008	0.001	0.005	0.004	0.001	0.031
	0009	0.000	0.003	0.000	0.003	0.093
	0010	0.000	0.003	0.000	0.003	0.093
	0011	0.000	0.001	0.000	0.001	0.031

Rhonda Methvin
 Signature (lab tech)

Jim Denton

 Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/15/94

LAB. TECH. NAME Jim Denton/Rhonda Methuen SITE IDENTIFIER KRLTN54
 DATE 9/15/94 BATCH NUMBER TNT-16

TIME 1013

Abs(background) 0.000 Abs(control) 0.354

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0012	0.002	0.004	0.008	- 0.004	0
0013	0.000	0.004	0.000	0.004	0.124
0014	0.001	0.002	0.004	- 0.002	0
0015	0.000	0.003	0.000	0.003	0.093
0016	0.001	0.001	0.004	- 0.003	0
0017	0.001	0.002	0.004	- 0.002	0
0018	0.001	0.002	0.004	- 0.002	0
0019	0.002	0.002	0.008	- 0.006	0
0020	0.001	0.002	0.004	- 0.002	0
0020 Dup	0.001	0.002	0.004	- 0.002	0
0021	0.001	0.003	0.004	- 0.001	0

Rhonda Methuen
 Signature (lab tech)

 Signature (review/approval)

Jim Denton

TNT FIELD SCREENING WORKSHEET

9/15/94

LAB. TECH. NAME Jim Newton / Rhonda Methvin SITE IDENTIFIER KRLTD154
 DATE 9/15/94 BATCH NUMBER TNT-16

TIME 1013

Abs(background) 0.000 Abs(control) 0.354

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0022	0.001	0.003	0.004	- 0.001	0
0023	0.005	0.015	0.020	- 0.005	0
0024	0.001	0.004	0.004	0	0
0025	0.000	0.004	0.000	0.004	0.123
0026	0.000	0.001	0.000	0.001	0.031
0027	0.001	0.001	0.004	- 0.003	0
0028	0.001	0.001	0.004	- 0.003	0
0029	0.000	0.001	0.000	0.001	0.031
0030	0.000	0.002	0.000	0.002	0.062
Method Blank	0.000	0.000	0.000	0	0

Rhonda Methvin
 Signature (lab tech)

Jim Newton

 Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/14/94

LAB. TECH. NAME Jim Denton / Rhonda Methvin SITE IDENTIFIER KRLTA154DATE 9/14/94BATCH NUMBER TNT-15TIME 1015Abs(background) 0.001Abs(control) 0.357

	1	2	3	4	5	6
	Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
1030	0061	0.021	0.038	0.084	-0.046	0
	0062	0.012	0.016	0.048	-0.032	0
	0063	0.012	0.016	0.048	-0.032	0
	0064	0.013	0.016	0.052	-0.036	A
	0065	0.013	0.016	0.052	-0.036	0
	0066	0.013	0.018	0.052	-0.034	0
	0067	0.013	0.016	0.052	-0.036	0
	0068	0.013	0.016	0.052	-0.036	0
Y	0069	0.203	0.313	0.812	-0.499	0
	0070	0.014	0.016	0.056	-0.040	0
	0071	0.015	0.017	0.060	-0.043	0

Rhonda Methvin
Signature (lab tech)

Jim Denton

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methvin SITE IDENTIFIER KR10154
 DATE 9/14/94 BATCH NUMBER TNT-15

TIME 1015

Abs(background) 0.001 Abs(control) 0.357

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0072	0.015	0.016	0.060	- 0.044	0
0073	0.014	0.017	0.056	- 0.039	0
0074	0.014	0.016	0.056	- 0.040	0
0075	0.015	0.017	0.060	- 0.043	0
0076	0.017	0.027	0.068	- 0.041	0
0077	0.015	0.020	0.060	- 0.046	0
0078	0.015	0.018	0.060	- 0.042	0
0079	0.015	0.016	0.060	- 0.044	0
0080	0.016	0.021	0.064	- 0.043	0
0080 Dup	0.020	0.025	0.080	- 0.055	0
Soil Blank	0.045	0.048	0.180	- 0.132	0
Methad Blank	0.016	0.017	0.060	- 0.043	0

Rhonda Methvin
 Signature (lab tech)

Jim Denton

 Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/13/94

LAB. TECH. NAME Jim Denton/Rhonda MethvinSITE IDENTIFIER KRLTD154DATE 9/13/94BATCH NUMBER TNT-13TIME 1210Abs(background) 0.000Abs(control) 0.350

	1	2	3	4	5	6
	Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
2.25 10.1	0111	0.005	0.009	0.020	- 0.011	0
10.1	0112	0.005	0.007	0.020	- 0.013	0
10.1	0113	0.005	0.007	0.020	- 0.013	0
10.1	0114	0.005	0.007	0.020	- 0.013	0
10.1	0115	0.007	0.008	0.028	- 0.020	0
10.1	0116	0.008	0.010	0.032	- 0.022	0
10.1	0117	0.006	0.008	0.024	- 0.016	0
10.1	0118	0.006	0.008	0.024	- 0.016	0
10.1	0119	0.006	0.008	0.024	- 0.016	0
10.1	0120	0.008	0.010	0.032	- 0.022	0
10.1	0120 Dup	0.006	0.007	0.024	- 0.017	0

Rhonda Methvin
Signature (lab tech)

Jim Denton

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/13/94

LAB. TECH. NAME Jim Newton / Rhonda MethvinSITE IDENTIFIER KRLTD154DATE 9/13/94BATCH NUMBER TNT-13TIME 1210Abs(background) 0.000 Abs(control) 0.350

	1	2	3	4	5	6
	Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
	Soil Blank	0.006	0.006	0.024	- 0.018	0
	Method Blank	0.005	0.007	0.020	- 0.013	0
10	0121	0.005	0.007	0.020	- 0.013	0
10.1	0122	0.005	0.006	0.020	- 0.014	0
9.9	0123	0.006	0.006	0.024	- 0.018	0
10	0124	0.005	0.007	0.020	- 0.013	0
10.1	0125	0.006	0.008	0.024	- 0.016	0
10.1	0126	0.006	0.008	0.024	- 0.016	0
10	0127	0.005	0.007	0.020	- 0.013	0
10.1	0128	0.005	0.008	0.020	- 0.012	0
10.1	0129	0.006	0.008	0.024	- 0.016	0

Rhonda Methvin
Signature (lab tech)

Jim Newton

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/13/94

LAB. TECH. NAME Jim Denton / Rhonda MethuenSITE IDENTIFIER KELTD154DATE 9/13/94BATCH NUMBER TNT-13TIME 1210Abs(background) 0.000 Abs(control) 0.350

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
10-1 0130	0.006	0.007	0.024	-0.017	0

Rhonda Methuen
Signature (lab tech)Jim Denton_____
Signature (review/approval)

9/13/94

TNT FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda MethvinSITE IDENTIFIER KRLTD154DATE 9/13/94BATCH NUMBER TNT-14TIME 1323Abs(background) 0.001Abs(control) 0.368

	1	2	3	4	5	6
	Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
15 10.1	0041	0.021	0.081	0.084	- 0.003	0
10	0042	0.000	0.003	0.000	0.003	0.092
10	0043	0.007	0.021	0.028	- 0.007	0
10.1	0044	0.000	0.002	0.000	0.002	0.062
10	0045	0.000	0.002	0.000	0.002	0.062
A 10.1	0046	0.008	0.036	0.032	0.004	0.124
A 10	0047	0.004	0.020	0.016	0.004	0.124
CCA 10.1	0048	0.006	0.014	0.024	- 0.010	0
G 10	0049	0.013	0.145	0.052	0.093	2.88
10.1	0050	0.008	0.011	0.032	- 0.021	0
10.1	0051	0.010	0.012	0.040	- 0.028	0

Rhonda Methvin
Signature (lab tech)

Jim Denton

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/13/1

LAB. TECH. NAME Jim Newton / Rhonda MethvinSITE IDENTIFIER KRLTN54DATE 9/13/94BATCH NUMBER TNT-14TIME 1323Abs(background) -0.001 Abs(control) 0.368

	1	2	3	4	5	6
	Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
9.9	0052	0.011	0.012	0.048	- 0.036	0
10.1	0053	0.011	0.013	0.044	- 0.031	0
9.9	0054	0.012	0.014	0.048	- 0.034	0
10.0	0055	0.012	0.016	0.048	- 0.032	0
10.0	0056	0.020	0.044	0.080	- 0.036	0
10.0	0057	0.018	0.035	0.072	- 0.037	0
10.1	0058	0.017	0.031	0.068	- 0.037	0
9.9	0059	0.014	0.020	0.056	- 0.036	0
9.9	0060	0.013	0.020	0.060	- 0.030	0
10	0060 Dup	0.016	0.026	0.064	- 0.038	0
	Method Blank	0.013	0.014	0.052	- 0.038	0

Rhonda Methvin
Signature (lab tech)

Signature (review/approval)

Jim Newton

TNT FIELD SCREENING WORKSHEET

9/12/94

LAB. TECH. NAME Jim Denton/Rhonda Methvin
DATE 09/12/94SITE IDENTIFIER KRLT154
BATCH NUMBER TNT-12TIME 0925Abs(background) 0.000 Abs(control) 0.367

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0091	0.018	0.022	0.072	- 0.05	0
0092	0.018	0.022	0.072	- 0.05	0
0093	0.017	0.021	0.068	- 0.047	0
0094	0.017	0.022	0.068	- 0.046	0
0095	0.017	0.019	0.068	- 0.049	0
0096	0.017	0.019	0.068	- 0.049	0
0097	0.017	0.019	0.068	- 0.049	0
0098	0.016	0.022	0.064	- 0.042	0
0099	0.017	0.020	0.068	- 0.048	0
0100	0.017	0.018	0.068	- 0.050	0
0100 Dup	0.018	0.021	0.072	- 0.051	0

Abs(control) 0.364Rhonda Methvin
Signature (lab tech)Jim Denton_____
Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/12/94

LAB. TECH. NAME Jim Denton / Rhonda Methum SITE IDENTIFIER KRLTD154
 DATE 9/12/94 BATCH NUMBER TNT-12

TIME 0925

Abs(background) 0.000 Abs(control) 0.367

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0101	0.017	0.019	0.068	- 0.049	0
0102	0.018	0.019	0.072	- 0.053	0
0103	0.017	0.020	0.068	- 0.048	0
0104	0.017	0.018	0.068	- 0.05	0
0105	0.017	0.020	0.068	- 0.048	0
0106	0.018	0.019	0.072	- 0.053	0
0107	0.017	0.021	0.068	- 0.047	0
0108	0.017	0.023	0.068	- 0.045	0
0109	0.017	0.023	0.068	- 0.045	0
0110	0.017	0.023	0.068	- 0.045	0
Method Blank	0.019	0.019	0.076	- 0.057	0

Rhonda Methum
 Signature (lab tech)

Jim Denton

 Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/9/94

LAB. TECH. NAME Jim Denton / Rhonda MethvinSITE IDENTIFIER KRLIN154DATE 9/9/94BATCH NUMBER TNT-11TIME 1010Abs(background) 0.000Abs(control) 0.360

	1	2	3	4	5	6
	Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
1020	0186	0.002	0.005	0.008	- 0.003	0
	0187	0.003	0.005	0.012	- 0.007	0
	0188	0.003	0.006	0.012	- 0.006	0
	0189	0.004	0.009	0.016	- 0.007	0
	0190	0.003	0.007	0.012	- 0.005	0
	0191	0.007	0.009	0.028	- 0.019	0
	0192	0.003	0.006	0.012	- 0.006	0
	0193	0.004	0.008	0.016	- 0.008	0
	0194	0.005	0.006	0.020	- 0.014	0
	0195	0.005	0.007	0.020	- 0.013	0
	0196	0.005	0.006	0.020	- 0.014	0

Abs (control) No. 2 0.353Rhonda Methvin
Signature (lab tech)

Jim Denton

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/9/94

LAB. TECH. NAME Jim Denton / Rhonda Methum SITE IDENTIFIER KRLID154
 DATE 9/9/94 BATCH NUMBER TNT-11

TIME 1010

Abs(background) 0.000 Abs(control) 0.360

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0197	0.005	0.005	0.020	-0.015	0
0198	0.004	0.005	0.016	-0.011	0
0199	0.006	0.007	0.024	-0.017	0
0200	0.006	0.007	0.024	-0.017	0
0200 Dup	0.005	0.008	0.020	-0.012	0
0201	0.005	0.008	0.020	-0.012	0
0202	0.005	0.006	0.020	-0.014	0
0203	0.005	0.006	0.020	-0.014	0
0204	0.005	0.006	0.020	-0.014	0
0205	0.006	0.007	0.024	-0.017	0
Soil Blank	0.006	0.006	0.024	-0.018	0
Method Blank	0.0005	0.005	0.020	-0.015	

Rhonda Methum
 Signature (lab tech)

Jim Denton

 Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/8/14

LAB. TECH. NAME Jim Newton/Rhonda Methers SITE IDENTIFIER KRLTD154DATE 9/8/14BATCH NUMBER TNT-10TIME 0941Abs(background) -0.001Abs(control) 0.362

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0166	0.003	0.003	0.012	- 0.009	0
0167	0.001	0.003	0.004	- 0.001	0
0168	0.001	0.003	0.004	- 0.001	0
0169	0.001	0.003	0.004	- 0.001	0
0170	0.002	0.002	0.008	- 0.006	0
0171	0.001	0.002	0.004	- 0.002	0
0172	0.001	0.003	0.004	- 0.001	0
0173	0.001	0.003	0.004	- 0.001	0
0174	0.001	0.002	0.004	- 0.002	0
0175	0.001	0.003	0.004	- 0.001	0
0176	0.001	0.004	0.004	0	0

Rhonda Methers
Signature (lab tech)

Jim Newton

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/8/94

LAB. TECH. NAME Jim Denton / Rhonda MethumSITE IDENTIFIER KRLT0154DATE 9/8/94BATCH NUMBER TNT-10TIME 0941Abs(background) -0.001Abs(control) 0.362

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0177	0.001	0.004	0.004	0	0
0178	0.000	0.003	0.000	0.003	0.093
0179	0.000	0.004	0.000	0.004	0.124
0180	0.000	0.002	0.000	0.002	0.062
0180 Dup	0.000	0.002	0.000	0.002	0.062
0181	0.000	0.001	0.000	0.001	0.0309
0182	0.000	0.002	0.000	0.002	0.062
0183	0.001	0.002	0.004	- 0.002	0
0184	0.000	0.001	0.000	0.001	0.0309
0185	0.000	0.002	0.000	0.002	0.062
Method Blank	0.001	0.001	0.004	- 0.003	0

Rhonda Methum
Signature (lab tech)

Jim Denton

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/6/94

LAB. TECH. NAME Jim Newton / Rhonda MethuenSITE IDENTIFIER KRLTD154DATE 9/6/94BATCH NUMBER TNT-9TIME 0856Abs(background) 0.001Abs(control) ~~0.001~~ 0.367

0903

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
02106	0.007	0.009	0.028	- 0.019	0
0267	0.008	0.004	0.032	- 0.021	0
0268	0.009	0.015	0.036	- 0.021	0
0269	0.011	0.014	0.044	- 0.030	0
0270	0.012	0.015	0.048	- 0.033	0
0296	0.012	0.016	0.048	- 0.032	0
0297	0.013	0.015	0.052	- 0.037	0
0298	0.014	0.016	0.056	- 0.040	0
0299	0.012	0.014	0.048	- 0.034	0
0300	0.018	0.026	0.072	- 0.046	0
0300 Dup	0.008	0.023	0.072	- 0.049	0

Rhonda Methuen
Signature (lab tech)

Jim Newton

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

9/6/94

LAB. TECH. NAME Jim Denton / Rhonda Methuen SITE IDENTIFIER KRLTD 154
DATE 9/6/94 BATCH NUMBER TNT-9

TIME 0856Abs(background) 0.001 Abs(control) 0.367

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
Method Blank	0.014	0.015	0.056	- 0.041	0
Soil Blank	0.014	0.016	0.056	- 0.040	0

Rhonda Methuen
Signature (lab tech)

Jim Denton

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda MethumSITE IDENTIFIER KRLTD154DATE 9/2/94BATCH NUMBER TNT-8TIME 0854Abs(background) 0.002 Abs(control) 0.374

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
1005 0251	0.020	0.021	0.080	- 0.059	0
0252	0.022	0.042	0.088	- 0.046	0
0253	0.019	0.021	0.076	- 0.055	0
0254	0.020	0.025	0.080	- 0.055	0
0255	0.020	0.026	0.080	- 0.054	0
0256	0.019	0.022	0.076	- 0.054	0
0257	0.020	0.023	0.080	- 0.057	0
0258-0001	0.020	0.030	0.080	- 0.050	0
0258-0002	0.019	0.023	0.076	- 0.053	0
0259	0.019	0.022	0.076	- 0.054	0
0260	0.019	0.021	0.076	- 0.055	0

Rhonda Methum
Signature (lab tech)

J. Denton

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methvin

SITE IDENTIFIER KPLTD154

DATE 9/2/94

BATCH NUMBER TNT-8

TIME 0854

Abs(background) 0.002

Abs(control) 0.374

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0260 Dup	0.019	0.022	0.088	- 0.066	0
0261	0.020	0.021	0.086	- 0.059	0
0262	0.021	0.040	0.084	- 0.044	0
0263	0.019	0.021	0.076	- 0.055	0
0264	0.019	0.021	0.076	- 0.055	0
0265	0.020	0.035	0.080	- 0.045	0
Method Blank	0.019	0.022	0.076	- 0.054	0

Rhonda Methvin
Signature (lab tech)

Jim Denton

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methvin SITE IDENTIFIER KRLTD/54
 DATE 09/01/94 BATCH NUMBER TNT-7

TIME 0914

Abs(background) 0.002 Abs(control) 0.373

	1	2	3	4	5	6
	Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
934 10	0238	0.04	0.022	0.056	- 0.034	⊖
10.1	0239	0.013	0.018	0.052	- 0.034	⊖
10	0240	0.013	0.010	0.052	- 0.036	⊖
10	0240 Dup	0.013	0.015	0.052	- 0.037	⊖
10	0241	0.015	0.023	0.060	- 0.037	⊖
10.1	0242	0.014	0.022	0.056	- 0.034	⊖
10	0243	0.014	0.018	0.056	- 0.038	⊖
10	0244	0.014	0.016	0.056	- 0.040	⊖
10	0245	0.015	0.017	0.060	- 0.043	⊖
10	0286	0.015	0.018	0.060	- 0.042	⊖
10.1	0287	0.015	0.019	0.060	- 0.041	⊖

Rhonda Methvin
 Signature (lab tech)

Jim Denton

 Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda MethvinSITE IDENTIFIER KRLTD 154DATE 09/01/94BATCH NUMBER TNT-7TIME 0914Abs(background) 0.002Abs(control) 0.373

	1	2	3	4	5	6
	Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
10.1	0288	0.015	0.017	0.068	- 0.051	0
10.1	0289	0.017	0.017	0.068	- 0.051	0
10	0290	0.017	0.021	0.068 0.068	- 0.047	0
10.1	0291	0.017	0.020	0.068 0.068	- 0.048	0
10.1	0292	0.017	0.018	0.068	- 0.050	0
10	0293	0.017	0.018	0.068	- 0.050	0
10	0294	0.018	0.021	0.072	- 0.051	0
10	0295	0.019	0.021	0.076	- 0.055	0
10.1	Soil Blank	0.017	0.020	0.068	- 0.048	0
	Method Blank	0.018	0.019	0.072	- 0.053	0

Rhonda Methvin
Signature (lab tech)

Signature (review/approval)

Jim Denton

TNT FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda MethwinSITE IDENTIFIER KRLD 154DATE 8/31/94BATCH NUMBER TNT-6TIME 0859Abs(background) 0.000Abs(control) 0.367

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0226	0.005	0.009	0.020	- 0.011	0
0227	0.005	0.006	0.020	- 0.014	0
0228	0.006	0.008	0.024	- 0.016	0
0229	0.008	0.009	0.032	- 0.023	0
0230	0.010	0.012	0.040	- 0.028	0
0231	0.013	0.028	0.052	- 0.024	0
0232	0.008	0.010	0.032	- 0.022	0
0233	0.009	0.012	0.036	- 0.024	0
0234	0.011	0.021	0.044	- 0.023	0
0235	0.011	0.022	0.044	- 0.022	0
0236	0.011	0.015	0.044	- 0.029	0
0237	0.011	0.017	0.044	- 0.027	

Jim Denton
Rhonda Methwin 8A-194
 Signature (lab tech)

 Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/R MethuinSITE IDENTIFIER KRLTD154DATE 8/30/94BATCH NUMBER TNT-5TIME 0915Abs(background) 0.000 Abs(control) 0.341

	1	2	3	4	5	6
	Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
10g	0301	0.018	0.018	0.072	- 0.054	0
10g	0302	0.015	0.015	0.060	- 0.045	0
10g	0303	0.013	0.018	0.052	- 0.034	0
10	0304	0.014	0.015	0.056	- 0.041	0
10	0305	0.014	0.016	0.056	- 0.040	0
10	0306	0.014	0.015	0.056	- 0.041	0
10	0307	0.014	0.015	0.056	- 0.041	0
10	0308	0.015	0.016	0.060	- 0.044	0
10.1	0309	0.021	0.022	0.084	- 0.062	0
10	0310	0.016	0.016	0.064	- 0.048	0
10.1	0310 Dup	0.016	0.017	0.064	- 0.047	0
N/A	MB	0.017	0.017	0.068	- 0.051	
10.0	SB	0.016	0.017	0.064	- 0.047	

Jim DentonRhonda Methuin 8/30/94

Signature (lab tech)

Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methvin

SITE IDENTIFIER KRLTD154

DATE 8/29/94

BATCH NUMBER TNT-4

TIME 1010

Abs(background) -0.001

Abs(control) 0.325

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0151	0.012	0.013	0.048	- 0.035	0
0152	0.012	0.014	0.048	- 0.034	0
0153	0.013	0.014	0.052	- 0.038	0
0154	0.013	0.016	0.052	- 0.036	0
0155	0.014	0.016	0.056	- 0.040	0
0156	0.014	0.017	0.056	- 0.039	0
0157	0.015	0.015	0.060	- 0.045	0
0158	0.014	0.016	0.056	- 0.040	0
0159	0.014	0.015	0.056	- 0.041	0
0160	0.014	0.017	0.056	- 0.039	0
0160 Dup	0.014	0.017	0.056	- 0.039	0

Jim Denton
Rhonda Methvin 8/29/94
 Signature (lab tech)

 Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton/Rhonda Methvin

SITE IDENTIFIER KRLTD151

DATE 8/29/94

BATCH NUMBER TNT-4

TIME 1010

Abs(background) -0.001

Abs(control) 0.325

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0161	0.014	0.016	0.056	- 0.040	0
0162	0.013	0.017	0.052	- 0.035	0
0163	0.015	0.017	0.060	- 0.043	0
0164	0.016	0.018	0.064	- 0.046	0
0165	0.015	0.017	0.060	- 0.043	0
MR	0.015	0.017	0.060	- 0.043	0
SB	0.015	0.017	0.060	- 0.043	0

Jim Denton
Rhonda Methvin 8/29/94
 Signature (lab tech)

 Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Denton / Rhonda Methvin SITE IDENTIFIER KRLTD154
 DATE 8/26/94 BATCH NUMBER INT-3

TIME 1058

Abs(background) 0.000 Abs(control) 0.369

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0284	0.011	0.013	0.044	- 0.031	0
0285	0.009	0.011	0.036	- 0.025	0
0081	0.013	0.016	0.052	- 0.036	0
0082	0.014	0.018	0.056	- 0.038	0
0083	0.013	0.015	0.052	- 0.037	0
0084	0.013	0.014	0.052	- 0.038	0
0085	0.012	0.013	0.048	- 0.035	0
0086	0.013	0.015	0.052	- 0.037	0
0087	0.014	0.016	0.056	- 0.04	0
0088	0.014	0.017	0.056	- 0.039	0
0089	0.013	0.016	0.052	- 0.036	0
0090	0.013	0.015	0.052	- 0.037	

Jim Denton
Rhonda Methvin
 Signature (lab tech)
 8/26/94

 Signature (review/approval)

TNT FIELD SCREENING WORKSHEET

LAB. TECH. NAME Jim Newton / Rhonda Methuen SITE IDENTIFIER KRLTD154
DATE 8/25/94 BATCH NUMBER TNT-2

TIME 0951

Abs(background) 0.000 Abs(control) 0.328

1	2	3	4	5	6
Sample ID	Abs(initial)	Abs (sample)	Abs (initial) x 4	Abs (final) [col. 3 - col. 4]	TNT Conc. PPM [col. 5/0.0323]
0278	0.015	0.016	0.06	- 0.044	0
0279	0.015	0.016	0.06	- 0.044	0
0280	0.016	0.017	0.064	- 0.047	0
0281	0.016	0.022	0.064	- 0.042	0
0282	0.016	0.017	0.064	- 0.047	0
0283	0.016	0.016	0.064	- 0.048	0

James A. Newton
Rhonda Methuen
Signature (lab tech)

Signature (review/approval)

8/25/94

TNT FIELD SCREENING WORKSHEET

LAB. TECH. NAME J.B. Denton

SITE IDENTIFIER KRLTD 154

DATE 24 Aug 94

BATCH NUMBER TNT 1

Abs(standard) _____

TIME _____

Abs(background) 000

Abs(control) .349

Sample ID	Abs(initial)	Abs (sample)	Concentration (PPM)*	TIME
0276	0.01 .011	.011	1	1440
0277	.012	.011		1445

(Sample - Abs(Initial))

$$= \frac{*(Abs(initial) \times 4) - Abs(sample)}{0.0323}$$

$$AbsSample = (Abs initial) \div 4$$

.0323



**Hall Environmental
Analysis Laboratory**

Hall Environmental Analysis Laboratory
2403 San Mateo NE, Suite P-13
Albuquerque, NM 87110

11/28/94

GRAM, Inc.
8500 Menaul Blvd. NE, Suite B-370
Albuquerque, NM 87112

Dear Mr. Jeff Johnson,

Enclosed are the results for the analyses that were requested. These were done according to the method entitled "Development of field screening methods for TNT, 2,4-DNT and RDX in soil" (Talanta, Vol 39, No 4, pp. 419-428, 1992) by Thomas F. Jenkins and Marianne E. Walsh

Detection limits are estimated based on the methodology and may vary significantly. For TNT and 2,4-DNT we estimate a detection level of approximately 50 PPM (MG/KG). No determination of compounds below these levels (denoted by the < sign) has been made.

Please don't hesitate to contact me for any additional information or clarifications.

Sincerely,

1/16/95

Scott Hallenbeck,
Lab Manager

Project: McCormick Ranch

Results for sample: KRTL154-949-0001

Date collected: 10/20/94	Date received: 10/20/94
Date extracted: 11/28/94	Date analyzed: 11/28/94
Client: GRAM, Inc.	
Project Name: McCormick Ranch	HEAL #: 9410107-1
Project Manager: Jeff Johnson	Sampled by: Johnson
Matrix: Non-Aqueous	

Test: TNT Procedure

<u>Compound</u>	<u>Amount</u>	<u>Units</u>
TNT	Not Detected	PPM (MG/KG)

Dilution Factor = 1

Test: 2,4-DNT Procedure

<u>Compound</u>	<u>Amount</u>	<u>Units</u>
2,4-DNT	Not Detected	PPM (MG/KG)

Dilution Factor = 1

Test: RDX Procedure

<u>Compound</u>	<u>Amount</u>	<u>Units</u>
RDX	Detected	PPM (MG/KG)

Dilution Factor = 1

SAMPLE ANALYSIS RESULTS REPORTED ON 15-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404573

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GS943835
OEHL ID: 19404573
Type of Sample: SOIL
Workplace or Site ID: 00097 093A KIRTLAND AFB, NM
Date Collected: 08-SEP-94 Time Collected: 1400
Date Received: 26-SEP-94
Date Completed: 14-NOV-94

SAMPLE VOLUME 4547.8 GRAMS DRY.

ACTINIUM 228	0.5	+/-	0.02	PICOCURIES PER GRAM DRIED
BISMUTH 212	< 0.03			PICOCURIES PER GRAM DRIED
BISMUTH 214	0.4	+/-	0.02	PICOCURIES PER GRAM DRIED
CESIUM 134	< 0.01			PICOCURIES PER GRAM DRIED
CESIUM 137	6.9	+/-	3.2	FEMTOCURIES PER GRAM DRIED
GROSS ALPHA	4.1	+/-	2.2	PICOCURIES PER GRAM DRIED
GROSS BETA	21.7	+/-	1.9	PICOCURIES PER GRAM DRIED
LEAD 212	0.5	+/-	0.04	PICOCURIES PER GRAM DRIED
LEAD 214	0.5	+/-	0.02	PICOCURIES PER GRAM DRIED
POTASSIUM 40	14.3	+/-	0.8	PICOCURIES PER GRAM DRIED
RADIUM 224	< 0.5			PICOCURIES PER GRAM DRIED
PADIUM 226	< 0.4			PICOCURIES PER GRAM DRIED
THALLIUM 208	0.2	+/-	0.01	PICOCURIES PER GRAM DRIED
THORIUM 228	1.4	+/-	0.2	PICOCURIES PER GRAM DRIED
THORIUM 232	0.5	+/-	0.02	PICOCURIES PER GRAM DRIED
THORIUM 234	0.2	+/-	0.07	PICOCURIES PER GRAM DRIED
URANIUM 235	0.07	+/-	0.01	PICOCURIES PER GRAM DRIED

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

SAMPLE ANALYSIS RESULTS REPORTED ON 15-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404574

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GS943836
OEHL ID: 19404574
Type of Sample: SOIL
Workplace or Site ID: 00097 093A KIRTLAND AFB, NM
Date Collected: 08-SEP-94 Time Collected: 1400
Date Received: 26-SEP-94
Date Completed: 14-NOV-94

SAMPLE VOLUME 4148.3 GRAMS DRY.

ACTINIUM 228	0.5	+/-	0.02	PICOCURIES PER GRAM DRIED
BISMUTH 212	< 0.04			PICOCURIES PER GRAM DRIED
BISMUTH 214	0.7	+/-	0.03	PICOCURIES PER GRAM DRIED
CESIUM 134	< 0.01			PICOCURIES PER GRAM DRIED
CESIUM 137	< 0.02			PICOCURIES PER GRAM DRIED
GROSS ALPHA	2.7	+/-	1.9	PICOCURIES PER GRAM DRIED
GROSS BETA	23.6	+/-	1.9	PICOCURIES PER GRAM DRIED
LEAD 212	0.5	+/-	0.04	PICOCURIES PER GRAM DRIED
LEAD 214	0.8	+/-	0.04	PICOCURIES PER GRAM DRIED
POTASSIUM 40	11.5	+/-	0.7	PICOCURIES PER GRAM DRIED
RADIUM 224	< 0.6			PICOCURIES PER GRAM DRIED
RADIUM 226	< 0.4			PICOCURIES PER GRAM DRIED
THALLIUM 208	0.1	+/-	0.01	PICOCURIES PER GRAM DRIED
THORIUM 228	1.4	+/-	0.03	PICOCURIES PER GRAM DRIED
THORIUM 232	0.5	+/-	0.02	PICOCURIES PER GRAM DRIED
THORIUM 234	0.4	+/-	0.09	PICOCURIES PER GRAM DRIED
URANIUM 235	0.1	+/-	0.01	PICOCURIES PER GRAM DRIED

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

SAMPLE ANALYSIS RESULTS REPORTED ON 15-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404575

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GS943837
OEHL ID: 19404575
Type of Sample: SOIL
Workplace or Site ID: 00097 093A KIRTLAND AFB, NM
Date Collected: 08-SEP-94 Time Collected: 1400
Date Received: 26-SEP-94
Date Completed: 14-NOV-94

SAMPLE VOLUME 4073.7 GRAMS DRY.

ACTINIUM 228	0.6	+/-	0.03	PICOCURIES PER GRAM DRIED
BISMUTH 212	< 0.4			PICOCURIES PER GRAM DRIED
BISMUTH 214	0.4	+/-	0.03	PICOCURIES PER GRAM DRIED
CESIUM 134	< 0.02			PICOCURIES PER GRAM DRIED
CESIUM 137	0.02	+/-	0.005	PICOCURIES PER GRAM DRIED
GROSS ALPHA	3.9	+/-	2.1	PICOCURIES PER GRAM DRIED
GROSS BETA	22.8	+/-	1.9	PICOCURIES PER GRAM DRIED
LEAD 212	0.6	+/-	0.05	PICOCURIES PER GRAM DRIED
LEAD 214	0.5	+/-	0.03	PICOCURIES PER GRAM DRIED
POTASSIUM 40	14.3	+/-	0.8	PICOCURIES PER GRAM DRIED
RADIUM 224	< 0.7			PICOCURIES PER GRAM DRIED
RADIUM 226	< 0.5			PICOCURIES PER GRAM DRIED
THALLIUM 208	0.2	+/-	0.01	PICOCURIES PER GRAM DRIED
THORIUM 228	1.4	+/-	0.3	PICOCURIES PER GRAM DRIED
THORIUM 232	0.6	+/-	0.03	PICOCURIES PER GRAM DRIED
THORIUM 234	0.3	+/-	0.1	PICOCURIES PER GRAM DRIED
URANIUM 235	0.06	+/-	0.01	PICOCURIES PER GRAM DRIED

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

SAMPLE ANALYSIS RESULTS REPORTED ON 15-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404576

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GS943838
OEHL ID: 19404576
Type of Sample: SOIL
Workplace or Site ID: 00097 ____ 093A KIRTLAND AFB, NM
Date Collected: 08-SEP-94 Time Collected: 1400
Date Received: 26-SEP-94
Date Completed: 14-NOV-94

SAMPLE VOLUME 4808.6 GRAMS DRY.

ACTINIUM 228	0.6	+/-	0.03	PICOCURIES PER GRAM DRIED
BISMUTH 212	< 0.4			PICOCURIES PER GRAM DRIED
BISMUTH 214	0.5	+/-	0.03	PICOCURIES PER GRAM DRIED
CESIUM 134	< 0.02			PICOCURIES PER GRAM DRIED
CESIUM 137	< 0.02			PICOCURIES PER GRAM DRIED
GROSS ALPHA	5.	+/-	2.4	PICOCURIES PER GRAM DRIED
GROSS BETA	26.3	+/-	2.	PICOCURIES PER GRAM DRIED
LEAD 212	0.7	+/-	0.05	PICOCURIES PER GRAM DRIED
LEAD 214	0.6	+/-	0.03	PICOCURIES PER GRAM DRIED
POTASSIUM 40	14.8	+/-	0.9	PICOCURIES PER GRAM DRIED
RADIUM 224	< 0.7			PICOCURIES PER GRAM DRIED
RADIUM 226	< 0.5			PICOCURIES PER GRAM DRIED
THALLIUM 208	0.2	+/-	0.02	PICOCURIES PER GRAM DRIED
THORIUM 228	1.5	+/-	0.3	PICOCURIES PER GRAM DRIED
THORIUM 232	0.6	+/-	0.03	PICOCURIES PER GRAM DRIED
THORIUM 234	0.2	+/-	0.09	PICOCURIES PER GRAM DRIED
URANIUM 235	0.07	+/-	0.01	PICOCURIES PER GRAM DRIED

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

H-4

SAMPLE ANALYSIS RESULTS REPORTED ON 15-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404577

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GS943839
OEHL ID: 19404577
Type of Sample: SOIL
Workplace or Site ID: 00097 093A KIRTLAND AFB, NM
Date Collected: 09-SEP-94 Time Collected: 1500
Date Received: 26-SEP-94
Date Completed: 14-NOV-94

SAMPLE VOLUME 5037.9 GRAMS DRY.

ACTINIUM 228	0.5	+/-	0.02	PICOCURIES PER GRAM DRIED
BISMUTH 212	< 0.4			PICOCURIES PER GRAM DRIED
BISMUTH 214	0.4	+/-	0.02	PICOCURIES PER GRAM DRIED
CESIUM 134	< 0.02			PICOCURIES PER GRAM DRIED
CESIUM 137	< 0.02			PICOCURIES PER GRAM DRIED
GROSS ALPHA	3.9	+/-	2.1	PICOCURIES PER GRAM DRIED
GROSS BETA	20.6	+/-	1.8	PICOCURIES PER GRAM DRIED
LEAD 212	0.5	+/-	0.04	PICOCURIES PER GRAM DRIED
LEAD 214	0.4	+/-	0.02	PICOCURIES PER GRAM DRIED
POTASSIUM 40	12.9	+/-	0.8	PICOCURIES PER GRAM DRIED
RADIUM 224	< 0.6			PICOCURIES PER GRAM DRIED
RADIUM 226	< 0.4			PICOCURIES PER GRAM DRIED
THALLIUM 208	0.2	+/-	0.01	PICOCURIES PER GRAM DRIED
THORIUM 228	1.1	+/-	0.3	PICOCURIES PER GRAM DRIED
THORIUM 232	0.5	+/-	0.02	PICOCURIES PER GRAM DRIED
THORIUM 234	0.1	+/-	0.08	PICOCURIES PER GRAM DRIED
URANIUM 235	0.05	+/-	0.01	PICOCURIES PER GRAM DRIED

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

H-5

SAMPLE ANALYSIS RESULTS REPORTED ON 15-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404578

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GS943840
OEHL ID: 19404578
Type of Sample: SOIL
Workplace or Site ID: 00097 093A KIRTLAND AFB, NM
Date Collected: 20-SEP-94 Time Collected: 0800
Date Received: 26-SEP-94
Date Completed: 14-NOV-94

SAMPLE VOLUME 3506.3 GRAMS DRY.

ACTINIUM 228	0.6	+/-	0.02	PICOCURIES PER GRAM DRIED
BISMUTH 212	< 0.4			PICOCURIES PER GRAM DRIED
BISMUTH 214	0.5	+/-	0.03	PICOCURIES PER GRAM DRIED
CESIUM 134	< 0.02			PICOCURIES PER GRAM DRIED
CESIUM 137	5.6	+/-	4.2	FEMTOCURIES PER GRAM DRIED
GROSS ALPHA	7.4	+/-	2.7	PICOCURIES PER GRAM DRIED
GROSS BETA	25.	+/-	2.	PICOCURIES PER GRAM DRIED
LEAD 212	0.6	+/-	0.05	PICOCURIES PER GRAM DRIED
LEAD 214	0.5	+/-	0.03	PICOCURIES PER GRAM DRIED
POTASSIUM 40	13.9	+/-	0.8	PICOCURIES PER GRAM DRIED
RADIUM 224	< 0.7			PICOCURIES PER GRAM DRIED
RADIUM 226	< 0.5			PICOCURIES PER GRAM DRIED
THALLIUM 208	0.2	+/-	0.01	PICOCURIES PER GRAM DRIED
THORIUM 228	1.7	+/-	0.3	PICOCURIES PER GRAM DRIED
THORIUM 232	0.6	+/-	0.02	PICOCURIES PER GRAM DRIED
THORIUM 234	0.3	+/-	0.09	PICOCURIES PER GRAM DRIED
URANIUM 235	0.07	+/-	0.01	PICOCURIES PER GRAM DRIED

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

H-6

SAMPLE ANALYSIS RESULTS REPORTED ON 15-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404579

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GS943841
OEHL ID: 19404579
Type of Sample: SOIL
Workplace or Site ID: 00097 ____ 093A KIRTLAND AFB, NM
Date Collected: 20-SEP-94 Time Collected: 0800
Date Received: 26-SEP-94
Date Completed: 14-NOV-94

SAMPLE VOLUME 4358.2 GRAMS DRY.

ACTINIUM 228	0.7	+/-	0.03	PICOCURIES PER GRAM DRIED
BISMUTH 212	< 0.5			PICOCURIES PER GRAM DRIED
BISMUTH 214	0.5	+/-	0.03	PICOCURIES PER GRAM DRIED
CESIUM 134	< 0.02			PICOCURIES PER GRAM DRIED
CESIUM 137	0.04	+/-	0.01	PICOCURIES PER GRAM DRIED
GROSS ALPHA	5.	+/-	2.4	PICOCURIES PER GRAM DRIED
GROSS BETA	27.8	+/-	2.1	PICOCURIES PER GRAM DRIED
LEAD 212	0.7	+/-	0.06	PICOCURIES PER GRAM DRIED
LEAD 214	0.6	+/-	0.03	PICOCURIES PER GRAM DRIED
POTASSIUM 40	15.6	+/-	0.9	PICOCURIES PER GRAM DRIED
RADIUM 224	< 0.8			PICOCURIES PER GRAM DRIED
RADIUM 226	< 0.5			PICOCURIES PER GRAM DRIED
THALLIUM 208	0.2	+/-	0.02	PICOCURIES PER GRAM DRIED
THORIUM 228	1.4	+/-	0.3	PICOCURIES PER GRAM DRIED
THORIUM 232	0.7	+/-	0.03	PICOCURIES PER GRAM DRIED
THORIUM 234	0.2	+/-	0.1	PICOCURIES PER GRAM DRIED
URANIUM 235	0.09	+/-	0.01	PICOCURIES PER GRAM DRIED

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

H-7

SAMPLE ANALYSIS RESULTS REPORTED ON 15-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404580

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GS943842
OEHL ID: 19404580
Type of Sample: SOIL
Workplace or Site ID: 00097 _____ 093A KIRTLAND AFB, NM
Date Collected: 20-SEP-94 Time Collected: 0800
Date Received: 26-SEP-94
Date Completed: 14-NOV-94

SAMPLE VOLUME 4444.4 GRAMS DRY.

ACTINIUM 228	0.8	+/-	0.03	PICOCURIES PER GRAM DRIED
BISMUTH 212	< 0.4			PICOCURIES PER GRAM DRIED
BISMUTH 214	0.5	+/-	0.03	PICOCURIES PER GRAM DRIED
CESIUM 134	< 0.02			PICOCURIES PER GRAM DRIED
CESIUM 137	0.02	+/-	0.005	PICOCURIES PER GRAM DRIED
GROSS ALPHA	4.4	+/-	2.3	PICOCURIES PER GRAM DRIED
GROSS BETA	27.5	+/-	2.1	PICOCURIES PER GRAM DRIED
LEAD 212	0.7	+/-	0.06	PICOCURIES PER GRAM DRIED
LEAD 214	0.6	+/-	0.03	PICOCURIES PER GRAM DRIED
POTASSIUM 40	16.2	+/-	0.9	PICOCURIES PER GRAM DRIED
RADIUM 224	< 0.7			PICOCURIES PER GRAM DRIED
RADIUM 226	0.7	+/-	0.4	PICOCURIES PER GRAM DRIED
THALLIUM 208	0.3	+/-	0.02	PICOCURIES PER GRAM DRIED
THORIUM 228	1.8	+/-	0.3	PICOCURIES PER GRAM DRIED
THORIUM 232	0.8	+/-	0.03	PICOCURIES PER GRAM DRIED
THORIUM 234	0.2	+/-	0.1	PICOCURIES PER GRAM DRIED
URANIUM 235	0.04	+/-	0.02	PICOCURIES PER GRAM DRIED

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

SAMPLE ANALYSIS RESULTS REPORTED ON 15-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404581

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GS943843
OEHL ID: 19404581
Type of Sample: SOIL
Workplace or Site ID: 00097 093A KIRTLAND AFB, NM
Date Collected: 20-SEP-94 Time Collected: 0800
Date Received: 26-SEP-94
Date Completed: 14-NOV-94

SAMPLE VOLUME 4288.7 GRAMS DRY.

ACTINIUM 228	0.5	+/-	0.02	PICOCURIES PER GRAM DRIED
BISMUTH 212	< 0.4			PICOCURIES PER GRAM DRIED
BISMUTH 214	0.4	+/-	0.03	PICOCURIES PER GRAM DRIED
CESIUM 134	< 0.02			PICOCURIES PER GRAM DRIED
CESIUM 137	0.02	+/-	0.005	PICOCURIES PER GRAM DRIED
GROSS ALPHA	3.	+/-	2.	PICOCURIES PER GRAM DRIED
GROSS BETA	26.9	+/-	2.	PICOCURIES PER GRAM DRIED
LEAD 212	0.6	+/-	0.04	PICOCURIES PER GRAM DRIED
LEAD 214	0.5	+/-	0.02	PICOCURIES PER GRAM DRIED
POTASSIUM 40	12.9	+/-	0.8	PICOCURIES PER GRAM DRIED
RADIUM 224	< 0.7			PICOCURIES PER GRAM DRIED
RADIUM 226	< 0.5			PICOCURIES PER GRAM DRIED
THALLIUM 208	0.2	+/-	0.01	PICOCURIES PER GRAM DRIED
THORIUM 228	1.5	+/-	0.3	PICOCURIES PER GRAM DRIED
THORIUM 232	0.5	+/-	0.02	PICOCURIES PER GRAM DRIED
THORIUM 234	0.2	+/-	0.09	PICOCURIES PER GRAM DRIED
URANIUM 235	0.07	+/-	0.01	PICOCURIES PER GRAM DRIED

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

H-9

SAMPLE ANALYSIS RESULTS REPORTED ON 15-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404582

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GS943844
OEHL ID: 19404582
Type of Sample: SOIL
Workplace or Site ID: 00097 093A KIRTLAND AFB, NM
Date Collected: 20-SEP-94 Time Collected: 0800
Date Received: 26-SEP-94
Date Completed: 14-NOV-94

SAMPLE VOLUME 4265.1 GRAMS DRY.

ACTINIUM 228	0.6	+/-	0.03	PICOCURIES PER GRAM DRIED
BISMUTH 212	< 0.4			PICOCURIES PER GRAM DRIED
BISMUTH 214	0.5	+/-	0.03	PICOCURIES PER GRAM DRIED
CESIUM 134	< 0.02			PICOCURIES PER GRAM DRIED
CESIUM 137	8.1	+/-	4.9	FEMTOCURIES PER GRAM DRIED
GROSS ALPHA	3.6	+/-	2.1	PICOCURIES PER GRAM DRIED
GROSS BETA	25.6	+/-	2.	PICOCURIES PER GRAM DRIED
LEAD 212	0.6	+/-	0.05	PICOCURIES PER GRAM DRIED
LEAD 214	0.5	+/-	0.03	PICOCURIES PER GRAM DRIED
POTASSIUM 40	14.9	+/-	0.9	PICOCURIES PER GRAM DRIED
RADIUM 224	< 0.7			PICOCURIES PER GRAM DRIED
RADIUM 226	< 0.5			PICOCURIES PER GRAM DRIED
THALLIUM 208	0.2	+/-	0.01	PICOCURIES PER GRAM DRIED
THORIUM 228	1.7	+/-	0.3	PICOCURIES PER GRAM DRIED
THORIUM 232	0.6	+/-	0.03	PICOCURIES PER GRAM DRIED
THORIUM 234	0.2	+/-	0.09	PICOCURIES PER GRAM DRIED
URANIUM 235	0.06	+/-	0.01	PICOCURIES PER GRAM DRIED

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

H-10

SAMPLE ANALYSIS RESULTS REPORTED ON 23-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404557

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GN943845
OEHL ID: 19404557
Type of Sample: WATER, NONPOTABLE, NOT SDWA
Workplace or Site ID: 00097 093A KIRTLAND AFB, NM
Date Collected: 07-SEP-94 Time Collected: 1030
Date Received: 26-SEP-94
Date Completed: 22-NOV-94

BISMUTH 212 < 33. PICOCURIES PER LITER
BISMUTH 214 < 18. PICOCURIES PER LITER
CESIUM 134 < 7.4 PICOCURIES PER LITER
CESIUM 137 < 7.6 PICOCURIES PER LITER
GROSS ALPHA < 0.6 PICOCURIES PER LITER
GROSS BETA < 3. PICOCURIES PER LITER
LEAD 212 < 16.9 PICOCURIES PER LITER
LEAD 214 < 18.6 PICOCURIES PER LITER
POTASSIUM 40 < 116.4 PICOCURIES PER LITER
RADIUM 224 < 196. PICOCURIES PER LITER
RADIUM 226 < 21.6 PICOCURIES PER LITER
THALLIUM 208 < 8.6 PICOCURIES PER LITER
THORIUM 228 < 0.5 PICOCURIES PER LITER
THORIUM 232 < 17.4 PICOCURIES PER LITER
THORIUM 234 < 116.9 PICOCURIES PER LITER
URANIUM 235 < 13.1 PICOCURIES PER LITER

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

H-11

SAMPLE ANALYSIS RESULTS REPORTED ON 23-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404558

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GN943846
OEHL ID: 19404558
Type of Sample: WATER, NONPOTABLE, NOT SDWA
Workplace or Site ID: 00097 _____ 093A KIRTLAND AFB, NM
Date Collected: 07-SEP-94 Time Collected: 1030
Date Received: 26-SEP-94
Date Completed: 22-NOV-94

BISMUTH 212 < 33. PICOCURIES PER LITER
BISMUTH 214 < 16.9 PICOCURIES PER LITER
CESIUM 134 < 7.3 PICOCURIES PER LITER
CESIUM 137 < 8. PICOCURIES PER LITER
GROSS ALPHA < 0.6 PICOCURIES PER LITER
GROSS BETA < 3. PICOCURIES PER LITER
LEAD 212 < 17.2 PICOCURIES PER LITER
LEAD 214 < 18.5 PICOCURIES PER LITER
POTASSIUM 40 < 112.2 PICOCURIES PER LITER
RADIUM 224 < 194.1 PICOCURIES PER LITER
RADIUM 226 < 223.4 PICOCURIES PER LITER
THALLIUM 208 < 9. PICOCURIES PER LITER
THORIUM 228 < 479.2 PICOCURIES PER LITER
THORIUM 232 < 33.7 PICOCURIES PER LITER
THORIUM 234 46.4 +/- 37.6 PICOCURIES PER LITER
URANIUM 235 < 13.7 PICOCURIES PER LITER

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

H-12

SAMPLE ANALYSIS RESULTS REPORTED ON 23-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404559

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GN943847
OEHL ID: 19404559
Type of Sample: WATER, NONPOTABLE, NOT SDWA
Workplace or Site ID: 00097 _____ 093A KIRTLAND AFB, NM
Date Collected: 07-SEP-94 Time Collected: 1030
Date Received: 26-SEP-94
Date Completed: 22-NOV-94

BISMUTH 212 < 33. PICOCURIES PER LITER
BISMUTH 214 < 15.2 PICOCURIES PER LITER
CESIUM 134 < 7.4 PICOCURIES PER LITER
CESIUM 137 < 8.6 PICOCURIES PER LITER
GROSS ALPHA < 0.6 PICOCURIES PER LITER
GROSS BETA < 3. PICOCURIES PER LITER
LEAD 212 < 17. PICOCURIES PER LITER
LEAD 214 < 18.2 PICOCURIES PER LITER
POTASSIUM 40 < 116.4 PICOCURIES PER LITER
RADIUM 224 < 192.4 PICOCURIES PER LITER
RADIUM 226 < 211. PICOCURIES PER LITER
THALLIUM 208 < 9.4 PICOCURIES PER LITER
THORIUM 228 < 464.4 PICOCURIES PER LITER
THORIUM 232 < 32.3 PICOCURIES PER LITER
THORIUM 234 < 115. PICOCURIES PER LITER
URANIUM 235 < 12.9 PICOCURIES PER LITER

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

H-13

SAMPLE ANALYSIS RESULTS REPORTED ON 23-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404560

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GN943848
OEHL ID: 19404560
Type of Sample: WATER, NONPOTABLE, NOT SDWA
Workplace or Site ID: 00097 093A KIRTLAND AFB, NM
Date Collected: 07-SEP-94 Time Collected: 1030
Date Received: 26-SEP-94
Date Completed: 22-NOV-94

BISMUTH 212 < 33. PICOCURIES PER LITER
BISMUTH 214 < 16.1 PICOCURIES PER LITER
CESIUM 134 < 7.5 PICOCURIES PER LITER
CESIUM 137 < 9. PICOCURIES PER LITER
GROSS ALPHA < 0.6 PICOCURIES PER LITER
GROSS BETA < 3.1 PICOCURIES PER LITER
LEAD 212 < 16.6 PICOCURIES PER LITER
LEAD 214 < 17.5 PICOCURIES PER LITER
POTASSIUM 40 < 121.2 PICOCURIES PER LITER
RADIUM 224 < 192.4 PICOCURIES PER LITER
RADIUM 226 < 214.5 PICOCURIES PER LITER
THALLIUM 208 < 9.9 PICOCURIES PER LITER
THORIUM 228 < 491.4 PICOCURIES PER LITER
THORIUM 232 < 33.5 PICOCURIES PER LITER
THORIUM 234 < 117.2 PICOCURIES PER LITER
URANIUM 235 < 13.1 PICOCURIES PER LITER

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

H-14

SAMPLE ANALYSIS RESULTS REPORTED ON 23-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404561

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GN943849
OEHL ID: 19404561
Type of Sample: WATER, NONPOTABLE, NOT SDWA
Workplace or Site ID: 00097 ____ 093A KIRTLAND AFB, NM
Date Collected: 07-SEP-94 Time Collected: 1030
Date Received: 26-SEP-94
Date Completed: 22-NOV-94

BISMUTH 212 < 33. PICOCURIES PER LITER
BISMUTH 214 < 16.4 PICOCURIES PER LITER
CESIUM 134 < 7.6 PICOCURIES PER LITER
CESIUM 137 3.6 +/- 2.1 PICOCURIES PER LITER
GROSS ALPHA < 0.6 PICOCURIES PER LITER
GROSS BETA < 3. PICOCURIES PER LITER
LEAD 212 < 16.6 PICOCURIES PER LITER
LEAD 214 < 18.6 PICOCURIES PER LITER
POTASSIUM 40 < 120.4 PICOCURIES PER LITER
RADIUM 224 < 194.9 PICOCURIES PER LITER
RADIUM 226 < 215.6 PICOCURIES PER LITER
THALLIUM 208 < 9.1 PICOCURIES PER LITER
THORIUM 228 < 465.9 PICOCURIES PER LITER
THORIUM 232 < 32.2 PICOCURIES PER LITER
THORIUM 234 < 121.4 PICOCURIES PER LITER
URANIUM 235 < 13.3 PICOCURIES PER LITER

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

H-15

SAMPLE ANALYSIS RESULTS REPORTED ON 23-nov-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404562

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GN943850
OEHL ID: 19404562
Type of Sample: WATER, NONPOTABLE, NOT SDWA
Workplace or Site ID: 00097 ____ 093A KIRTLAND AFB, NM
Date Collected: 13-SEP-94 Time Collected: 1100
Date Received: 26-SEP-94
Date Completed: 22-NOV-94

BISMUTH 212 < 33. PICOCURIES PER LITER
BISMUTH 214 < 16.3 PICOCURIES PER LITER
CESIUM 134 < 7.1 PICOCURIES PER LITER
CESIUM 137 2.4 +/- 1.9 PICOCURIES PER LITER
GROSS ALPHA 3.7 +/- 1.4 PICOCURIES PER LITER
GROSS BETA 14.3 +/- 2.2 PICOCURIES PER LITER
LEAD 212 < 16.8 PICOCURIES PER LITER
LEAD 214 < 17.4 PICOCURIES PER LITER
POTASSIUM 40 < 119.6 PICOCURIES PER LITER
RADIUM 224 < 196.4 PICOCURIES PER LITER
RADIUM 226 < 213.8 PICOCURIES PER LITER
THALLIUM 208 < 9.3 PICOCURIES PER LITER
THORIUM 228 < 457.8 PICOCURIES PER LITER
THORIUM 232 < 32.4 PICOCURIES PER LITER
THORIUM 234 < 118. PICOCURIES PER LITER
URANIUM 235 < 12.9 PICOCURIES PER LITER

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

H-16

SAMPLE ANALYSIS RESULTS REPORTED ON 21-oct-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404205

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GS943770 SAMPLE "K"
OEHL ID: 19404205
Type of Sample: SOIL
Workplace or Site ID: 00097 093A KIRTLAND AFB, NM
Date Collected: 06-SEP-94 Time Collected: 1000
Date Received: 14-SEP-94
Date Completed: 20-OCT-94

SAMPLE WEIGHT 2741.1 GRAMS DRY.

BISMUTH 212	<	0.2		PICOCURIES PER GRAM DRIED
BISMUTH 214	<	0.7		PICOCURIES PER GRAM DRIED
CESIUM 134	<	0.03		PICOCURIES PER GRAM DRIED
CESIUM 137		0.6	+/- 0.04	PICOCURIES PER GRAM DRIED
GROSS ALPHA		6.2	+/- 1.9	PICOCURIES PER GRAM DRIED
GROSS BETA		32.7	+/- 1.8	PICOCURIES PER GRAM DRIED
LEAD 212		0.8	+/- 0.06	PICOCURIES PER GRAM DRIED
LEAD 214		0.7	+/- 0.04	PICOCURIES PER GRAM DRIED
POTASSIUM 40	<	1.1		PICOCURIES PER GRAM DRIED
RADIUM 224	<	0.9		PICOCURIES PER GRAM DRIED
RADIUM 226	<	0.7		PICOCURIES PER GRAM DRIED
THALLIUM 208		0.3	+/- 0.02	PICOCURIES PER GRAM DRIED
THORIUM 228	<	1.3		PICOCURIES PER GRAM DRIED
THORIUM 232		0.8	+/- 0.03	PICOCURIES PER GRAM DRIED
THORIUM 234		0.3	+/- 0.1	PICOCURIES PER GRAM DRIED
URANIUM 235		0.1	+/- 0.01	PICOCURIES PER GRAM DRIED

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

H-17

SAMPLE ANALYSIS RESULTS REPORTED ON 21-oct-1994
ARMSTRONG LABORATORY
OCCUPATIONAL AND ENVIRONMENTAL HEALTH DIRECTORATE
RADIOANALYTICAL FUNCTION (OEBSA)
BROOKS AIR FORCE BASE, TEXAS 78235-5000

OE ID

19404206

377 MG/AERMS/SGPB
1951 SECOND STREET SE
KIRTLAND AFB, NM 87117-5559
ATTN CAPT CRAIG ADAMS

BASE ADDRESS CODE: Q00097Z

IDENTIFICATION:

Base Sample #: GS943771 SAMPLE "T"
OEHL ID: 19404206
Type of Sample: SOIL
Workplace or Site ID: 00097 093A KIRTLAND AFB, NM
Date Collected: 06-SEP-94 Time Collected: 1000
Date Received: 14-SEP-94
Date Completed: 20-OCT-94

SAMPLE WEIGHT 2272 GRAMS DRY.

ACTINIUM 228	0.8	+/-	0.03	PICOCURIES PER GRAM DRIED
BISMUTH 212	< 0.05			PICOCURIES PER GRAM DRIED
BISMUTH 214	0.8	+/-	0.04	PICOCURIES PER GRAM DRIED
CESIUM 134	< 0.03			PICOCURIES PER GRAM DRIED
CESIUM 137	0.7	+/-	0.05	PICOCURIES PER GRAM DRIED
GROSS ALPHA	6.5	+/-	2.	PICOCURIES PER GRAM DRIED
GROSS BETA	34.2	+/-	1.8	PICOCURIES PER GRAM DRIED
LEAD 212	0.9	+/-	0.07	PICOCURIES PER GRAM DRIED
LEAD 214	0.8	+/-	0.04	PICOCURIES PER GRAM DRIED
POTASSIUM 40	< 1.1			PICOCURIES PER GRAM DRIED
RADIUM 224	< 0.9			PICOCURIES PER GRAM DRIED
RADIUM 226	< 0.7			PICOCURIES PER GRAM DRIED
THALLIUM 208	0.3	+/-	0.02	PICOCURIES PER GRAM DRIED
THORIUM 228	< 2.			PICOCURIES PER GRAM DRIED
THORIUM 232	0.8	+/-	0.03	PICOCURIES PER GRAM DRIED
THORIUM 234	0.4	+/-	0.1	PICOCURIES PER GRAM DRIED
URANIUM 235	0.1	+/-	0.01	PICOCURIES PER GRAM DRIED

RESULTS ACCURATE TO 2 SIGNIFICANT FIGURES.
ERROR TERM AT 95% CONFIDENCE LEVEL.

MR. AMON J. CLAY, GM-13
Chief, Radioanalytical Branch, BAFB
DSN 240-2061

H-18

MR. JOHNSON,

LISTED BELOW ARE THE RESULTS YOU NEEDED. IF YOU HAVE ANY QUESTIONS,
PLEASE FEEL FREE TO CALL.

SAMPLE NUMBER	OE #'S	GROSS ALPHA	GROSS BETA
GS943825	19404563	3.8 +/- 1.6	29.5 +/- 1.7
3826		4.3 +/- 1.6	28.4 +/- 1.6
3827		6.2 +/- 1.9	29.1 +/- 1.7
3828		4.7 +/- 1.7	26.3 +/- 1.6
3829		5.6 +/- 2.0	26.4 +/- 1.6
3830		3.8 +/- 2.1	24.6 +/- 2.0
3831		5.1 +/- 2.3	21.5 +/- 1.9
3832		3.5 +/- 2.1	23.2 +/- 1.9
3833		3.0 +/- 2.0	24.2 +/- 1.9
3834		2.2 +/- 1.8	24.4 +/- 1.8
3835		4.1 +/- 2.2	21.7 +/- 1.9
3836		2.7 +/- 1.9	23.6 +/- 1.9
3837		3.9 +/- 2.1	22.8 +/- 1.9
3838		5.0 +/- 2.4	26.3 +/- 2.0
3839		3.9 +/- 2.1	20.6 +/- 1.8
3840		7.4 +/- 2.7	25.0 +/- 2.0
3841		5.0 +/- 2.4	27.8 +/- 2.1
3842		4.4 +/- 2.3	27.5 +/- 2.1
3843		3.0 +/- 2.0	26.9 +/- 2.0
3844	19404582	3.6 +/- 2.1	25.6 +/- 2.0

ALL OF THE ABOVE RESULTS ARE PICOCURIES PER GRAM/DRY.

Cyndi Utley
CYNDI UTLEY
AL/OEBA
DSN:240-2061

Soil

CHAIN OF CUSTODY

NOTE: MEASURE COOLER TEMPERATURE FROM TEMPERATURE BLANK

PROJECT NAME:	McCORMICK RANCH	# OF CONTAINERS *	1	2	3	4	5	6	7
CLIENT:	PHILLIPS LABORATORY, KIRTLAND AFB	TYPE OF CONTAINERS	AL						
MARY CONTACT:	JEFF JOHNSON - GRAM 505-299-1282	CONTAINER VOLUME	1 Gal						
INDARY CONTACT:	STEVE GORIN (LATA) 505-480-3409	PRESERVATIVE	None						
RATORY CONTACT:		ANALYSES REQUESTED	8 X						
IDENTIFICATION		DATE/TIME							
LOCATION ID, SAMPLE ID)	USAF SAMPLE No.	MATRIX	COLLECTED						
154-0317-00001	G5943825	S	9/8/94 1400	✓					
154-0317-00002	G5943826	S	9/9/94 1400	✓					
154-0317-00001	G5943827	S	9/8/94 1400	✓					
154-0319-00001	G5943828	S	9/11/94 1400	✓					
154-0320-00001	G5943829	S	9/12/94 1400	✓					
154-0321-00001	G5943830	S	9/16/94 1400	✓					
154-0322-00001	G5943831	S	9/16/94 1400	✓					
154-0323-00001	G5943832	S	9/16/94 1400	✓					
154-0323-00002	G5943833	S	9/16/94 1400	✓					
154-0324-00001	G5943834	S	9/16/94 1400	✓					
154-0324-00001	MS/MND G5943835	S	9/16/94 1400	✓					

LABORATORY ANALYSES:

1. EXPLOSIVES (SW8330, SW8330-ADD-1, SW8330-ADD-2)
2. NITRATE + NITRITE (E333.2)
3. SEMI-VOCs (SW8270)
4. ICP METALS (SW6010); MINUS LEAD, ARSENIC, SELENIUM, AND MERCURY
5. MERCURY (SW7471)
6. LEAD (SW7421), ARSENIC (SW7060), SELENIUM (SW7740)
7. CYANIDE (SW9012)

CONTAINER TYPE:

- P - POLYETHYLENE
- CG - CLEAR GLASS
- AG - AMBER GLASS

FOR SOIL SAMPLES ONLY ONE 16-oz GLASS JAR OF SOIL AT
REQUIRED TO PROVIDE SUFFICIENT SAMPLE VOLUME FOR ALL
ES. THE REQUIRED ANALYSES FOR EACH SOIL SAMPLE
NOTIFIED BY CHECKING THE APPROPRIATE BOXES (1-7)

RECEIVED BY:

COMPANY NAME	SIGNATURE	COMPANY NAME	SIGNATURE	DATE	TIME
PHILLIPS LABORATORY	<i>Jeff Johnson</i>	LATA	<i>Steve Gorin</i>	9/20/94	0820
PHILLIPS LABORATORY	<i>Steve Gorin</i>	377 ME/SGPB	<i>Steve Gorin</i>	9/20/94	0836

RELEASED TO SHIPPER BY:

COMPANY NAME	SIGNATURE	COMPANY NAME	SIGNATURE	BILL OF LADING #	DATE	TIME
PHILLIPS LABORATORY	<i>Steve Gorin</i>	377 ME/SGPB	<i>Steve Gorin</i>		25 SEP 94	0847

RELEASED TO LABORATORY BY (SHIPPER):

COMPANY NAME	SIGNATURE	COMPANY NAME	SIGNATURE	DATE	TIME
PHILLIPS LABORATORY	<i>Steve Gorin</i>	PHILLIPS LABORATORY	<i>Steve Gorin</i>	9-26-94	0202

8. Gross Weight - Beta - Gamma

CHAIN OF CUSTODY

NOTE: MEASURE COOLER TEMPERATURE FROM TEMPERATURE BLANK

PROJECT NAME:	McCormick Ranch	# OF CONTAINERS:	1						
CLIENT:	Phillips Laboratory, Kirtland AFB	TYPE OF CONTAINERS:	Poly						
PRIMARY CONTACT:	Jeff Johnson (GRAM) 505-299-1283	CONTAINER VOLUME:	1 gal						
SECONDARY CONTACT:	Steve Gorin (LATA) 505-880-3439	PRESERVATIVE:	Nom						
LABORATORY CONTACT:		ANALYSES REQUESTED:	8 X	1	3	4	3	6	7
FIELD IDENTIFICATION		DATE/TIME							
2. LOCATION ID, SAMPLE ID	SAMPLE NO.	MATRIX	COLLECTED						
154-0325-0001	GS943836	S	9/8/94 1400	✓					
154-0326-0001	GS943837	S	9/8/94 1400	✓					
154-0327-0001	GS943838	S	9/8/94 1400	✓					
154-0328-0001	GS943839	S	9/9/94 1500	✓					
154-0329-0001	GS943840	S	9/20/94 0800	✓					
154-0330-0001	GS943841	S	9/20/94 0800	✓					
154-0331-0001	GS943842	S	9/20/94 0800	✓					
154-0332-0001	GS943843	S	9/20/94 0800	✓					
154-0333-0001	GS943844	S	9/20/94 0800	✓					

LABORATORY ANALYSES:	LABORATORY ANALYSES:
1. EXPLOSIVES (SW8330, SW8330-ADD-1, SW8330-ADD-2)	1. EXPLOSIVES (SW8330, SW8330-ADD-1, SW8330-ADD-2)
2. NITRATE + NITRITE (E353.1)	2. NITRATE + NITRITE (E353.1)
3. SEMI-VOCs (SW8270)	3. SEMI-VOCs (SW8270)
4. ICP METALS (SW6010); MINUS LEAD, ARSENIC, SELENIUM, AND MERCURY	4. ICP METALS (SW6010); MINUS LEAD, ARSENIC, SELENIUM, AND MERCURY
5. MERCURY (SW7471)	5. MERCURY (SW7471)
6. LEAD (SW7421), ARSENIC (SW7060), SELENIUM (SW7740)	6. LEAD (SW7421), ARSENIC (SW7060), SELENIUM (SW7740)
7. CYANIDE (SW9012)	7. CYANIDE (SW9012)

RELINQUISHED BY:	RECEIVED BY:
COMPANY NAME	COMPANY NAME
SIGNATURE	SIGNATURE
DATE	DATE
TIME	TIME
LATA	LATA
377MG/5LBB	377MG/5LBB
9/20/94 0836	9/20/94 0836

RELEASED TO SHIPPER BY:	RECEIVED BY SHIPPER:
COMPANY NAME	COMPANY NAME
SIGNATURE	SIGNATURE
DATE	DATE
TIME	TIME
377MG/5LBB	377MG/5LBB
9/20/94 0836	9/20/94 0836

RELEASED TO LABORATORY BY (SHIPPER):	RECEIVED BY LABORATORY:
COMPANY NAME	COMPANY NAME
SIGNATURE	SIGNATURE
DATE	DATE
TIME	TIME
377MG/5LBB	377MG/5LBB
9/20/94 0836	9/20/94 0836

8. Gross Weight - Defn - Grams

ample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404571	G	AC 228	.5	.02	PCI/GM D	CU	20-OCT-94
9404571	G	BI 212	3 .03		PCI/GM D	CU	20-OCT-94
9404571	G	BI 214	.5	.02	PCI/GM D	CU	20-OCT-94
9404571	G	CS 134	.1		PCI/GM D	CU	20-OCT-94
9404571	G	CS 137	.01		PCI/GM D	CU	20-OCT-94
9404571	G	K 40	14.5	.8	PCI/GM D	CU	20-OCT-94
9404571	G	PB 212	.5	.04	PCI/GM D	CU	20-OCT-94
9404571	G	PB 214	.5	.02	PCI/GM D	CU	20-OCT-94
9404571	G	RA 224	.5		PCI/GM D	CU	20-OCT-94
9404571	G	RA 226	.4		PCI/GM D	CU	20-OCT-94
9404571	G	TH 228	1	.02	PCI/GM D	CU	20-OCT-94
9404571	G	TH 232	.5	.02	PCI/GM D	CU	20-OCT-94
9404571	G	TH 234	.2	.07	PCI/GM D	CU	20-OCT-94
9404571	G	TL 208	.25	.01	PCI/GM D	CU	20-OCT-94
9404571	G	U 235	.07	.01	PCI/GM D	CU	20-OCT-94

Enter analysis method code. Press list of field values key for help.

Count: *15

<List><Replace>

===== COMMENTS =====

ample #	Order	Comment	Culprit
9404571	1	SAMPLE VOLUME 4211.5 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.
Amount: *1 <Replace>

===== SAMPLE EDIT =====

Sample # 19404570 Logged by JS Last Updated By CU
 Reviewed by Final Review By
 Site ID 97 093A

Logged Listing Created Y Work Card or Label Created Cancelled
 Marked For Review N Sample Okay
 Ready to Report Reported
 Priority Sample

Description:

Mail to Q00097Z Copy 1 Copy 2
 Received 26-SEP-94 Completed Collected(YMMDD HRMI) 940908 1400
 Reason R ROUTINE

Name SSAN

Weight Age Sex
 Base Sample # GS943832 Serial #
 Collection Method G GRAB
 Sample Type S SOIL
 Project ID
 Analyses ABG

Press <LIST> for list of initials.
 *1

<List>

Sample #	Method	Isotope	Value	Error	Units	Culpit	Completed
3404570	G	AC 228	.5	.02	PCI/GM D	CU	28-OCT-94
3404570	G	BI 212	.03		PCI/GM D	CU	28-OCT-94
3404570	G	BI 214	.5	.02	PCI/GM D	CU	28-OCT-94
3404570	G	CS 134	.01		PCI/GM D	CU	28-OCT-94
3404570	G	CS 137	.02		PCI/GM D	CU	28-OCT-94
3404570	G	K 40	14.2	.8	PCI/GM D	CU	28-OCT-94
3404570	G	PB 212	.5	.04	PCI/GM D	CU	28-OCT-94
3404570	G	PB 214	.5	.02	PCI/GM D	CU	28-OCT-94
3404570	G	RA 224	.6		PCI/GM D	CU	28-OCT-94
3404570	G	RA 226	.4		PCI/GM D	CU	28-OCT-94
3404570	G	TH 228	.9	.2	PCI/GM D	CU	28-OCT-94
3404570	G	TH 232	.5	.02	PCI/GM D	CU	28-OCT-94
3404570	G	TH 234	.2	.08	PCI/GM D	CU	28-OCT-94
3404570	G	TL 208	.2	.01	PCI/GM D	CU	28-OCT-94
3404570	G	U 235	.07	.01	PCI/GM D	CU	28-OCT-94

Enter analysis method code. Press list of field values key for help.
 *15 <List>

===== COMMENTS =====

Sample # Order Comment

Culprit

9404570 1 SAMPLE VOLUME 4230.9 GRAMS DRY.

CU

Enter a sequence number to force print order. Leave blank if not reported.
*1

Sample # 19404563	Logged by JS	Last Updated By CU
	Reviewed by	Final Review By
Site ID 97	093A	

Logged Listing Created Y	Work Card or Label Created	Cancelled
Marked For Review N	Sample Okay	
Ready to Report	Reported	
Priority Sample		

```

Mail to Q00097Z Copy 1
Received 26-SEP-94 Completed
Reason R ROUTINE
Name
Copy 2
Collected(YYMMDD HRMI) 940908 1400
SSAN

```

Weight	Age	Sex
Base Sample # GS943825	Serial #	
Collection Method G	GRAB	
Sample Type S	SOIL	
Project ID		
Analyses ABG		

```
ress <LIST> for list of initials.
ount: *1
```

<List><Replace>

ample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404563	G	BI 212	.03		PCI/GM D	CU	20-OCT-94
9404563	G	BI 214	.5		PCI/GM D	CU	20-OCT-94
9404563	G	CS 134	.01		PCI/GM D	CU	20-OCT-94
9404563	G	CS 137	.01	.004	PCI/GM D	CU	20-OCT-94
9404563	G	K 40	16.1	.9	PCI/GM D	CU	20-OCT-94
9404563	G	PB 212	.7	.05	PCI/GM D	CU	20-OCT-94
9404563	G	PB 214	.6	.03	PCI/GM D	CU	20-OCT-94
9404563	G	RA 224	.6		PCI/GM D	CU	20-OCT-94
9404563	G	RA 226	.4		PCI/GM D	CU	20-OCT-94
9404563	G	TH 228	1.3	.3	PCI/GM D	CU	20-OCT-94
9404563	G	TH 232	.7	.02	PCI/GM D	CU	20-OCT-94
9404563	G	TH 234	.3	.08	PCI/GM D	CU	20-OCT-94
9404563	G	TL 208	.2	.01	PCI/GM D	CU	20-OCT-94
9404563	G	U 235	.07	.01	PCI/GM D	CU	20-OCT-94

Enter analysis method code. Press list of field values key for help.

Count: *14

<List><Replace>

===== COMMENTS =====

ample #	Order	Comment	Culprit
9404563	1	SAMPLE VOLUME 4365.5 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.
Count: *1 <Replace>

===== SAMPLE EDIT =====

Sample # 19404564 Logged by JS Last Updated By CU
Reviewed by Final Review By
Site ID 97 093A

Logged Listing Created Y Work Card or Label Created Cancelled
Marked For Review N Sample Okay
Ready to Report Reported
Priority Sample

Description:

Mail to Q00097Z Copy 1 Copy 2
Received 26-SEP-94 Completed Collected(YMMDD HRMI) 940908 1400
Reason R ROUTINE

Name

SSAN

Weight Age Sex
Base Sample # GS943826 Serial #
Collection Method G GRAB
Sample Type S SOIL
Project ID
Analyses ABG

ress <LIST> for list of initials.
ount: *1

<List><Replace>

ample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404564	G	BI 212	.03		PCI/GM D	CU	20-OCT-94
9404564	G	BI 214	.5	.03	PCI/GM D	CU	20-OCT-94
9404564	G	CS 134	.01	.03	PCI/GM D	CU	20-OCT-94
9404564	G	CS 137	.01	.004	PCI/GM D	CU	20-OCT-94
9404564	G	K 40	16.1	.9	PCI/GM D	CU	20-OCT-94
9404564	G	PB 212	.7	.05	PCI/GM D	CU	20-OCT-94
9404564	G	PB 214	.6	.03	PCI/GM D	CU	20-OCT-94
9404564	G	RA 224	.6		PCI/GM D	CU	20-OCT-94
9404564	G	RA 226	.4		PCI/GM D	CU	20-OCT-94
9404564	G	TH 228	1.9	.3	PCI/GM D	CU	20-OCT-94
9404564	G	TH 232	.7	.02	PCI/GM D	CU	20-OCT-94
9404564	G	TH 234	.3	.08	PCI/GM D	CU	20-OCT-94
9404564	G	TL 208	.2	.01	PCI/GM D	CU	20-OCT-94
9404564	G	U 235	.08	.008	PCI/GM D	CU	20-OCT-94

nter analysis method code. Press list of field values key for help.
 ount: *14
 <List><Replace>

===== COMMENTS =====

ample #	Order	Comment	Culprit
9404564	1	SAMPLE VOLUME 4565.7 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.
Count: *1 <Replace>

ample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404565	G	BI 212	.03		PCI/GM D	CU	20-OCT-94
9404565	G	BI 214	.5	.03	PCI/GM D	CU	20-OCT-94
9404565	G	CS 134	.01		PCI/GM D	CU	20-OCT-94
9404565	G	CS 137	.02		PCI/GM D	CU	20-OCT-94
9404565	G	K 40	16.5	.9	PCI/GM D	CU	20-OCT-94
9404565	G	PB 212	.6	.05	PCI/GM D	CU	20-OCT-94
9404565	G	PB 214	.6	.03	PCI/GM D	CU	20-OCT-94
9404565	G	RA 224	.6		PCI/GM D	CU	20-OCT-94
9404565	G	RA 226	.4		PCI/GM D	CU	20-OCT-94
9404565	G	TH 228	1.3	.3	PCI/GM D	CU	20-OCT-94
9404565	G	TH 232	.6	.02	PCI/GM D	CU	20-OCT-94
9404565	G	TH 234	.3	.08	PCI/GM D	CU	20-OCT-94
9404565	G	TL 208	.2	.01	PCI/GM D	CU	20-OCT-94
9404565	G	U 235	.08	.01	PCI/GM D	CU	20-OCT-94

nter analysis method code. Press list of field values key for help.
 4 <List>

===== COMMENTS =====

ample #	Order	Comment	Culprit
9404565	1	SAMPLE VOLUME 4771.4 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.

Sample # 19404566	Logged by JS	Last Updated By CU
	Reviewed by	Final Review By
Site ID 97	093A	

Logged Listing Created Y	Work Card or Label Created	Cancelled
Marked For Review N	Sample Okay	
Ready to Report	Reported	
Priority Sample		

Mail to Q00097Z Copy 1

Copy 2

Received 26-SEP-94 Completed

Collected (YYMMDD HRMI) 940908 1400

Reason R ROUTINE

Name

SSAN

Weight

Age

Sex

Base Sample # GS943828 Serial #

Collection Method G GRAB

Sample Type S SOIL

Project ID

Analyses ABG

ress <LIST> for list of initials.

1

<List>

4-21

ample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404566	G	AM 241	.04		PCI/GM D	CU	20-OCT-94
9404566	G	BI 212	.03		PCI/GM D	CU	20-OCT-94
9404566	G	BI 214	.6	.03	PCI/GM D	CU	20-OCT-94
9404566	G	CO 60	.02		PCI/GM D	CU	20-OCT-94
9404566	G	CS 134	.01		PCI/GM D	CU	20-OCT-94
9404566	G	CS 137	.03	.005	PCI/GM D	CU	20-OCT-94
9404566	G	K 40	16.9	.9	PCI/GM D	CU	20-OCT-94
9404566	G	PB 212	.8	.05	PCI/GM D	CU	20-OCT-94
9404566	G	PB 214	.6	.03	PCI/GM D	CU	20-OCT-94
9404566	G	RA 224	.6		PCI/GM D	CU	20-OCT-94
9404566	G	RA 226	.4	.9	PCI/GM D	CU	20-OCT-94
9404566	G	TH 228	.2		PCI/GM D	CU	20-OCT-94
9404566	G	TH 232	.7	.02	PCI/GM D	CU	20-OCT-94
9404566	G	TH 234	.3	.09	PCI/GM D	CU	20-OCT-94
9404566	G	TL 208	.2	.01	PCI/GM D	CU	20-OCT-94
9404566	G	U 235	.09	.01	PCI/GM D	CU	20 OCT 94

Enter analysis method code. Press list of field values key for help.
 15 v <List>

===== COMMENTS =====

ample #	Order	Comment	Culprit
9404566	1	SAMPLE VOLUME 5164.2 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.
*1

H-40

ample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404567	G	AC 228	.6	.02	PCI/GM D	CU	20-OCT-94
9404567	G	BI 212	.02		PCI/GM D	CU	20-OCT-94
9404567	G	BI 214	.6	.03	PCI/GM D	CU	20-OCT-94
9404567	G	CS 134	.01		PCI/GM D	CU	20-OCT-94
9404567	G	CS 137	.1	.01	PCI/GM D	CU	20-OCT-94
9404567	G	K 40	15.6	.9	PCI/GM D	CU	20-OCT-94
9404567	G	PB 212	.7	.05	PCI/GM D	CU	20-OCT-94
9404567	G	PB 214	.6	.03	PCI/GM D	CU	20-OCT-94
9404567	G	RA 224	.6		PCI/GM D	CU	20-OCT-94
9404567	G	RA 226	.4		PCI/GM D	CU	20-OCT-94
9404567	G	TH 228	1.3	.3	PCI/GM D	CU	20-OCT-94
9404567	G	TH 234	.3	.08	PCI/GM D	CU	20-OCT-94
9404567	G	TL 208	.2	.01	PCI/GM D	CU	20-OCT-94
9404567	G	U 235	.08	.01	PCI/GM D	CU	20-OCT-94

Enter analysis method code. Press list of field values key for help.

*14

<List>

===== COMMENTS =====

ample #	Order	Comment	Culprit
9404567	1	SAMPLE VOLUME 3809.3 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.
*1

===== SAMPLE EDIT =====

Sample # 19404568 Logged by JS Last Updated By CU
Reviewed by Final Review By
Site ID 97 093A

Logged Listing Created Y Work Card or Label Created Cancelled
Marked For Review N Sample Okay
Ready to Report Reported
Priority Sample

Description:

Mail to Q00097Z Copy 1 Copy 2
Received 26-SEP-94 Completed Collected(YMMDD HRMI) 940908 1400
Reason R ROUTINE

Name SSAN

Weight Age Sex
Base Sample # GS943830 Serial #
Collection Method G GRAB
Sample Type S SOIL
Project ID
Analyses ABG

ress <LIST> for list of initials.

*1

<List>

Sample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404568	G	AC 228	.6	.02	PCI/GM D	CU	20-OCT-94
9404568	G	BI 212	.03		PCI/GM D	CU	20-OCT-94
9404568	G	BI 214	.5	.03	PCI/GM D	CU	20-OCT-94
9404568	G	CS 134	.01		PCI/GM D	CU	20-OCT-94
9404568	G	CS 137	.05	.01	PCI/GM D	CU	20-OCT-94
9404568	G	K 40	14.2	.8	PCI/GM D	CU	20-OCT-94
9404568	G	PB 212	.6	.04	PCI/GM D	CU	20-OCT-94
9404568	G	PB 214	.6	.03	PCI/GM D	CU	20-OCT-94
9404568	G	RA 224	.6		PCI/GM D	CU	20-OCT-94
9404568	G	RA 226	.4		PCI/GM D	CU	20-OCT-94
9404568	G	TH 228	1.5	.3	PCI/GM D	CU	20-OCT-94
9404568	G	TH 232	.6	.02	PCI/GM D	CU	20-OCT-94
9404568	G	TH 234	.3	.08	PCI/GM D	CU	20-OCT-94
9404568	G	TL 208	.2	.01	PCI/GM D	CU	20-OCT-94
9404568	G	U 235	.07	.01	PCI/GM D	CU	20-OCT-94

Enter analysis method code. Press list of field values key for help.
 Count: *15 <List><Replace>

10-44

===== COMMENTS =====

ample # Order Comment

Culprit

9404568 1 SAMPLE VOLUME 4602.4 GRAMS DRY.

CU

Enter a sequence number to force print order. Leave blank if not reported.
*1

===== SAMPLE EDIT =====

Sample # 19404569 Logged by JS Last Updated By CU
Reviewed by Final Review By
Site ID 97 093A

Logged Listing Created Y Work Card or Label Created Cancelled
Marked For Review N Sample Okay
Ready to Report Reported
Priority Sample

Description:

Mail to Q00097Z Copy 1 Copy 2
Received 26-SEP-94 Completed Collected(YMMDD HRMI) 940908 1400
Reason R ROUTINE

Name SSAN

Weight Age Sex
Base Sample # GS943831 Serial #
Collection Method G GRAB
Sample Type S SOIL
Project ID
Analyses ABG

ress <LIST> for list of initials.
*1

<List>

ample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404569	G	AC 228	.5	.02	PCI/GM D	CU	20-OCT-94
9404569	G	BI 212	.03		PCI/GM D	CU	20-OCT-94
9404569	G	BI 214	.6	.03	PCI/GM D	CU	20-OCT-94
9404569	G	CS 134	3	2.4	PCI/GM D	CU	20-OCT-94
9404569	G	CS 137	.02	.004	PCI/GM D	CU	20-OCT-94
9404569	G	K 40	13.5	.8	PCI/GM D	CU	20-OCT-94
9404569	G	PB 212	.5	.04	PCI/GM D	CU	20-OCT-94
9404569	G	PB 214	.6	.03	PCI/GM D	CU	20-OCT-94
9404569	G	RA 224	.05		PCI/GM D	CU	20-OCT-94
9404569	G	RA 226	.4		PCI/GM D	CU	20-OCT-94
9404569	G	TH 228	1.4	.3	PCI/GM D	CU	20-OCT-94
9404569	G	TH 232	.5	.02	PCI/GM D	CU	20-OCT-94
9404569	G	TH 234	.3	.08	PCI/GM D	CU	20-OCT-94
9404569	G	TL 208	.2	.01	PCI/GM D	CU	20-OCT-94
9404569	G	U 235	.07	.01	PCI/GM D	CU	20-OCT-94

nter analysis method code. Press list of field values key for help.
 *15 <List>

===== COMMENTS =====

ample #	Order	Comment	Culprit
9404569	1	SAMPLE VOLUME 3879.4 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.
*1

===== SAMPLE EDIT =====

Sample # 19404572 Logged by JS Last Updated By CU
Reviewed by Final Review By
Site ID 97 093A

Logged Listing Created Y Work Card or Label Created Cancelled
Marked For Review N Sample Okay
Ready to Report Reported
Priority Sample

* Description:

Mail to Q00097Z Copy 1 Copy 2
Received 26-SEP-94 Completed Collected(YMMDD HRMI) 940908 1400
Reason R ROUTINE
Name SSAN

Weight Age Sex
Base Sample # GS943834 Serial #
Collection Method G GRAB
Sample Type S SOIL
Project ID
Analyses ABG

press <LIST> for list of initials.
count: *1

<List><Replace>

Sample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404572	G	AC 228	.5	.02	PCI/GM D	CU	20-OCT-94
9404572	G	BI 212	.03		PCI/GM D	CU	20-OCT-94
9404572	G	BI 214	.4	.02	PCI/GM D	CU	20-OCT-94
9404572	G	CS 134	.01		PCI/GM D	CU	20-OCT-94
9404572	G	CS 137	5.7	3.2	FCI/GM D	CU	20-OCT-94
9404572	G	K 40	14	.8	PCI/GM D	CU	20-OCT-94
9404572	G	PB 212	.5	.03	PCI/GM D	CU	20-OCT-94
9404572	G	PB 214	.4	.02	PCI/GM D	CU	20-OCT-94
9404572	G	RA 224	.5		PCI/GM D	CU	20-OCT-94
9404572	G	RA 226	.4		PCI/GM D	CU	20-OCT-94
9404572	G	TH 228	1.4	.2	PCI/GM D	CU	20-OCT-94
9404572	G	TH 232	.5	.02	PCI/GM D	CU	20-OCT-94
9404572	G	TH 234	.3	.07	PCI/GM D	CU	20-OCT-94
9404572	G	TL 208	.2	.01	PCI/GM D	CU	20-OCT-94
9404572	G	U 235	.06	.01	PCI/GM D	CU	20-OCT-94

Enter analysis method code. Press list of field values key for help.

Count: *15

<List><Replace>

===== COMMENTS =====

ample #	Order	Comment	Culprit
9404572	1	SAMPLE VOLUME 4397.5 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.
Count: *1 <Replace>

Sample # 19404573	Logged by JS	Last Updated By CU
	Reviewed by	Final Review By
Site ID 97	093A	

Logged Listing Created Y	Work Card or Label Created	Cancelled
Marked For Review N	Sample Okay	
Ready to Report	Reported	
Priority Sample		

Mail to Q00097Z	Copy 1	Copy 2	
Received 26-SEP-94	Completed	Collected(YMMDD HRMI)	940908 1400
Reason R	ROUTINE		
Name		SSAN	

Weight	Age	Sex
Base Sample # GS943835	Serial #	
Collection Method G	GRAB	
Sample Type S	SOIL	
Project ID		
Analyses ABG		

```
ress <LIST> for list of initials.
count: *1
```

<List><Replace>

ample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404573	G	AC 228	.5	.02	PCI/GM D	CU	20-OCT-94
9404573	G	BI 212	.03		PCI/GM D	CU	20-OCT-94
9404573	G	BI 214	.4	.02	PCI/GM D	CU	20-OCT-94
9404573	G	CS 134	.01		PCI/GM D	CU	20-OCT-94
9404573	G	CS 137	6.9	3.2	FCI/GM D	CU	20-OCT-94
9404573	G	K 40	14.3	.8	PCI/GM D	CU	20-OCT-94
9404573	G	PB 212	.5	.04	PCI/GM D	CU	20-OCT-94
9404573	G	PB 214	.5	.02	PCI/GM D	CU	20-OCT-94
9404573	G	RA 224	.5		PCI/GM D	CU	20-OCT-94
9404573	G	RA 226	.4		PCI/GM D	CU	20-OCT-94
9404573	G	TH 228	1.4	.2	PCI/GM D	CU	20-OCT-94
9404573	G	TH 232	.5	.02	PCI/GM D	CU	20-OCT-94
9404573	G	TH 234	.2	.07	PCI/GM D	CU	20-OCT-94
9404573	G	TL 208	.2	.01	PCI/GM D	CU	20-OCT-94
9404573	G	U 235	.07	.01	PCI/GM D	CU	20-OCT-94

enter analysis method code. Press list of field values key for help.

ount: *15

<List><Replace>

===== COMMENTS =====

ample # Order Comment

Culprit

9404573 1 SAMPLE VOLUME 4547.8 GRAMS DRY.

CU

Enter a sequence number to force print order. Leave blank if not reported.

Print: *1

<Replace>

Sample # 19404574	Logged by JS	Last Updated By CU
	Reviewed by	Final Review By
Site ID 97	093A	

Logged Listing Created Y	Work Card or Label Created	Cancelled
Marked For Review N	Sample Okay	
Ready to Report	Reported	
Priority Sample		

Mail to Q00097Z Copy 1

Copy 2

Received 26-SEP-94 Completed

Collected(YYMMDD HRMI) 940908 1400

Reason R ROUTINE

Name

SSAN

Weight

Age

Sex

Base Sample # GS943836 Serial #

Collection Method G GRAB

Sample Type S SOIL

Project ID

Analyses ABG

press <LIST> for list of initials.

unt: *1

<List><Replace>

Sample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404574	G	AC 228	.5	.02	PCI/GM D	CU	20-OCT-94
9404574	G	BI 212	.04		PCI/GM D	CU	20-OCT-94
9404574	G	BI 214	.7	.03	PCI/GM D	CU	20-OCT-94
9404574	G	CS 134	.01		PCI/GM D	CU	20-OCT-94
9404574	G	CS 137	.02		PCI/GM D	CU	20-OCT-94
9404574	G	K 40	11.5	.7	PCI/GM D	CU	20-OCT-94
9404574	G	PB 212	.5	.04	PCI/GM D	CU	20-OCT-94
9404574	G	PB 214	.8	.04	PCI/GM D	CU	20-OCT-94
9404574	G	RA 224	.6		PCI/GM D	CU	20-OCT-94
9404574	G	RA 226	.4		PCI/GM D	CU	20-OCT-94
9404574	G	TH 228	1.4	.03	PCI/GM D	CU	20-OCT-94
9404574	G	TH 232	.5	.02	PCI/GM D	CU	20-OCT-94
9404574	G	TH 234	.4	.09	PCI/GM D	CU	20-OCT-94
9404574	G	TL 208	.1	.01	PCI/GM D	CU	20-OCT-94
9404574	G	U 235	.1	.01	PCI/GM D	CU	20-OCT-94

Enter analysis method code. Press list of field values key for help.
 Count: *15 <List><Replace>

===== COMMENTS =====

ample #	Order	Comment	Culprit
9404574	1	SAMPLE VOLUME 4148.3 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.
Count: *1 <Replace>

Sample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404575	G	AC 228	.6	.03	PCI/GM D	CU	20-OCT-94
9404575	G	BI 212	.4		PCI/GM D	CU	20-OCT-94
9404575	G	BI 214	.4	.03	PCI/GM D	CU	20-OCT-94
9404575	G	CS 134	.02		PCI/GM D	CU	20-OCT-94
9404575	G	CS 137	.02	.005	PCI/GM D	CU	20-OCT-94
9404575	G	K 40	14.3	.8	PCI/GM D	CU	20-OCT-94
9404575	G	PB 212	.6	.05	PCI/GM D	CU	20-OCT-94
9404575	G	PB 214	.5	.03	PCI/GM D	CU	20-OCT-94
9404575	G	RA 224	.7		PCI/GM D	CU	20-OCT-94
9404575	G	RA 226	.5		PCI/GM D	CU	20-OCT-94
9404575	G	TH 228	1.4	.3	PCI/GM D	CU	20-OCT-94
9404575	G	TH 232	.6	.03	PCI/GM D	CU	20-OCT-94
9404575	G	TH 234	.3	.1	PCI/GM D	CU	20-OCT-94
9404575	G	TL 208	.2	.01	PCI/GM D	CU	20-OCT-94
9404575	G	U 235	.06	.01	PCI/GM D	CU	20-OCT-94

Enter analysis method code. Press list of field values key for help.

Count: *15

<List><Replace>

===== COMMENTS =====

ample # Order Comment

Culprit

9404575 1 SAMPLE VOLUME 4073.7 GRAMS DRY.

CU

Enter a sequence number to force print order. Leave blank if not reported.
Count: *1 <Replace>

H-60

===== SAMPLE EDIT =====
Sample # 19404576 Logged by JS Last Updated By CU
Reviewed by Final Review By
Site ID 97 093A

Logged Listing Created Y Work Card or Label Created Cancelled
Marked For Review N Sample Okay
Ready to Report Reported
Priority Sample

- Description:

Mail to Q00097Z Copy 1 Copy 2
Received 26-SEP-94 Completed Collected(Yymmdd hrmi) 940908 1400
Reason R ROUTINE

SSAN

Name Weight Age Sex
Base Sample # GS943838 Serial #
Collection Method G GRAB
Sample Type S SOIL
Project ID
Analyses ABG

ress <LIST> for list of initials.
ount: *1

<List><Replace>

ample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404576	G	AC 228	.6	.03	PCI/GM D	CU	20-OCT-94
9404576	G	BI 212	.4		PCI/GM D	CU	20-OCT-94
9404576	G	BI 214	.5	.03	PCI/GM D	CU	20-OCT-94
9404576	G	CS 134	.02		PCI/GM D	CU	20-OCT-94
9404576	G	CS 137	.02		PCI/GM D	CU	20-OCT-94
9404576	G	K 40	14.8	.9	PCI/GM D	CU	20-OCT-94
9404576	G	PB 212	.7	.05	PCI/GM D	CU	20-OCT-94
9404576	G	PB 214	.6	.03	PCI/GM D	CU	20-OCT-94
9404576	G	RA 224	.7		PCI/GM D	CU	20-OCT-94
9404576	G	RA 226	.5		PCI/GM D	CU	20-OCT-94
9404576	G	TH 228	1.5	.3	PCI/GM D	CU	20-OCT-94
9404576	G	TH 232	.6	.03	PCI/GM D	CU	20-OCT-94
9404576	G	TH 234	.2	.09	PCI/GM D	CU	20-OCT-94
9404576	G	TL 208	.2	.02	PCI/GM D	CU	20-OCT-94
9404576	G	U 235	.07	.01	PCI/GM D	CU	20-OCT-94

Enter analysis method code. Press list of field values key for help.

Count: *15

<List><Replace>

===== COMMENTS =====

ample #	Order	Comment	Culprit
9404576	1	SAMPLE VOLUME 4808.6 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.
Count: *1 <Replace>

A-63

===== SAMPLE EDIT =====
Sample # 19404577 Logged by JS Last Updated By CU
 Reviewed by Final Review By
Site ID 97 093A

Logged Listing Created Y Work Card or Label Created Cancelled
Marked For Review N Sample Okay
Ready to Report Reported
Priority Sample

Description:

Mail to Q00097Z Copy 1 Copy 2
Received 26-SEP-94 Completed Collected(YMMDD HRMI) 940909 1500
Reason R ROUTINE

Name

SSAN

Weight Age Sex
Base Sample # GS943839 Serial #
Collection Method G GRAB
Sample Type S SOIL
Project ID
Analyses ABG

ress <LIST> for list of initials.
ount: *1

<List><Replace>

ample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404577	G	AC 228	.5	.02	PCI/GM D	CU	20-OCT-94
9404577	G	BI 212	.4		PCI/GM D	CU	20-OCT-94
9404577	G	BI 214	.4	.02	PCI/GM D	CU	20-OCT-94
9404577	G	CS 134	.02		PCI/GM D	CU	20-OCT-94
9404577	G	CS 137	.02		PCI/GM D	CU	20-OCT-94
9404577	G	K 40	12.9	.8	PCI/GM D	CU	20-OCT-94
9404577	G	PB 212	.5	.04	PCI/GM D	CU	20-OCT-94
9404577	G	PB 214	.4	.02	PCI/GM D	CU	20-OCT-94
9404577	G	RA 224	.6		PCI/GM D	CU	20-OCT-94
9404577	G	RA 226	.4		PCI/GM D	CU	20-OCT-94
9404577	G	TH 228	1.1	.3	PCI/GM D	CU	20-OCT-94
9404577	G	TH 232	.5	.02	PCI/GM D	CU	20-OCT-94
9404577	G	TH 234	.1	.08	PCI/GM D	CU	20-OCT-94
9404577	G	TL 208	.2	.01	PCI/GM D	CU	20-OCT-94
9404577	G	U 235	.05	.01	PCI/GM D	CU	20-OCT-94

enter analysis method code. Press list of field values key for help.

ount: *15

<List><Replace>

H-65

===== COMMENTS =====

ample #	Order	Comment	Culprit
9404577	1	SAMPLE VOLUME 5037.9 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.
Count: *1 <Replace>

===== SAMPLE EDIT =====
Sample # 19404578 Logged by JS Last Updated By CU
Reviewed by Final Review By
Site ID 97 093A

Logged Listing Created Y Work Card or Label Created Cancelled
Marked For Review N Sample Okay
Ready to Report Reported
Priority Sample

Description:

Mail to Q00097Z Copy 1 Copy 2
Received 26-SEP-94 Completed Collected(YMMDD HRMI) 940920 0800
Reason R ROUTINE

SSAN

Name Weight Age Sex
Base Sample # GS943840 Serial #
Collection Method G GRAB
Sample Type S SOIL
Project ID
Analyses ABG

ress <LIST> for list of initials.
ount: *1

<List><Replace>

ample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404578	G	AC 228	.6	.02	PCI/GM D	CU	20-OCT-94
9404578	G	BI 212	.4		PCI/GM D	CU	20-OCT-94
9404578	G	BI 214	.5	.03	PCI/GM D	CU	20-OCT-94
9404578	G	CS 134	.02		PCI/GM D	CU	20-OCT-94
9404578	G	CS 137	5.6	4.2	FCI/GM D	CU	20-OCT-94
9404578	G	K 40	13.9	.8	PCI/GM D	CU	20-OCT-94
9404578	G	PB 212	.6	.05	PCI/GM D	CU	20-OCT-94
9404578	G	PB 214	.5	.03	PCI/GM D	CU	20-OCT-94
9404578	G	RA 224	.7		PCI/GM D	CU	20-OCT-94
9404578	G	RA 226	.5		PCI/GM D	CU	20-OCT-94
9404578	G	TH 228	1.7	.3	PCI/GM D	CU	20-OCT-94
9404578	G	TH 232	.6	.02	PCI/GM D	CU	20-OCT-94
9404578	G	TH 234	.3	.09	PCI/GM D	CU	20-OCT-94
9404578	G	TL 208	.2	.01	PCI/GM D	CU	20-OCT-94
9404578	G	U 235	.07	.01	PCI/GM D	CU	20-OCT-94

Enter analysis method code. Press list of field values key for help.

Count: *15

<List><Replace>

===== COMMENTS =====

Sample #	Order	Comment	Culprit
9404578	1	SAMPLE VOLUME 3506.3 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.
Amount: *1 <Replace>

===== SAMPLE EDIT =====
Sample # 19404579 Logged by JS Last Updated By CU
Reviewed by Final Review By
Site ID 97 093A

Logged Listing Created Y Work Card or Label Created Cancelled
Marked For Review N Sample Okay
Ready to Report Reported
Priority Sample

Description:

Mail to Q00097Z Copy 1 Copy 2
Received 26-SEP-94 Completed Collected(YMMDD HRMI) 940920 0800
Reason R ROUTINE

Name SSAN

Weight Age Sex
Base Sample # GS943841 Serial #
Collection Method G GRAB
Sample Type S SOIL
Project ID
Analyses ABG

press <LIST> for list of initials.
ount: *1

<List><Replace>

Sample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404579	G	AC 228	.7	.03	PCI/GM D	CU	20-OCT-94
9404579	G	BI 212	.5		PCI/GM D	CU	20-OCT-94
9404579	G	BI 214	.5	.03	PCI/GM D	CU	20-OCT-94
9404579	G	CS 134	.02		PCI/GM D	CU	20-OCT-94
9404579	G	CS 137	.04	.01	PCI/GM D	CU	20-OCT-94
9404579	G	K 40	15.6	.9	PCI/GM D	CU	20-OCT-94
9404579	G	PB 212	.7	.06	PCI/GM D	CU	20-OCT-94
9404579	G	PB 214	.6	.03	PCI/GM D	CU	20-OCT-94
9404579	G	RA 224	.8		PCI/GM D	CU	20-OCT-94
9404579	G	RA 226	.5		PCI/GM D	CU	20-OCT-94
9404579	G	TH 228	1.4	.3	PCI/GM D	CU	20-OCT-94
9404579	G	TH 232	.7	.03	PCI/GM D	CU	20-OCT-94
9404579	G	TH 234	.2	.1	PCI/GM D	CU	20-OCT-94
9404579	G	TL 208	.2	.02	PCI/GM D	CU	20-OCT-94
9404579	G	U 235	.09	.01	PCI/GM D	CU	20-OCT-94

Enter analysis method code. Press list of field values key for help.

Count: *15

<List><Replace>

===== COMMENTS =====

ample #	Order	Comment	Culprit
9404579	1	SAMPLE VOLUME 4358.2 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.
Count: *1 <Replace>

4-73

ample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404580	G	AC 228	.8	.03	PCI/GM D	CU	20-OCT-94
9404580	G	BI 212	.4		PCI/GM D	CU	20-OCT-94
9404580	G	BI 214	.5	.03	PCI/GM D	CU	20-OCT-94
9404580	G	CS 134	.02		PCI/GM D	CU	20-OCT-94
9404580	G	CS 137	.02	.005	PCI/GM D	CU	20-OCT-94
9404580	G	K 40	16.2	.9	PCI/GM D	CU	20-OCT-94
9404580	G	PB 212	.7	.06	PCI/GM D	CU	20-OCT-94
9404580	G	PB 214	.6	.03	PCI/GM D	CU	20-OCT-94
9404580	G	RA 224	.7		PCI/GM D	CU	20-OCT-94
9404580	G	RA 226	.7	.4	PCI/GM D	CU	20-OCT-94
9404580	G	TH 228	1.8	.3	PCI/GM D	CU	20-OCT-94
9404580	G	TH 232	.8	.03	PCI/GM D	CU	20-OCT-94
9404580	G	TH 234	.2	.1	PCI/GM D	CU	20-OCT-94
9404580	G	TL 208	.3	.02	PCI/GM D	CU	20-OCT-94
9404580	G	U 235	.04	.02	PCI/GM D	CU	20-OCT-94

enter analysis method code. Press list of field values key for help.

ount: *15

<List><Replace>

===== COMMENTS =====

Sample #	Order	Comment	Culprit
9404580	1	SAMPLE VOLUME 4444.4 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.
Count: *1 <Replace>

Sample # 19404581 Logged by JS Last Updated By CU
Reviewed by Final Review By
Site ID 97 093A

Logged Listing Created Y	Work Card or Label Created	Cancelled
Marked For Review N	Sample Okay	
Ready to Report	Reported	
Priority Sample		

```

Mail to Q00097Z Copy 1 Copy 2
Received 26-SEP-94 Completed Collected(YMMDD HRMI) 940920 0800
Reason R ROUTINE
Name SSAN

```

Weight	Age	Sex
Base Sample # GS943843	Serial #	
Collection Method G	GRAB	
Sample Type S	SOIL	
Project ID		
Analyses ABG		

```
ress <LIST> for list of initials.
ount: *1
```

<List><Replace>

ample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404581	G	AC 228	.5	.02	PCI/GM D	CU	20-OCT-94
9404581	G	BI 212	.4		PCI/GM D	CU	20-OCT-94
9404581	G	BI 214	.4	.03	PCI/GM D	CU	20-OCT-94
9404581	G	CS 134	.02		PCI/GM D	CU	20-OCT-94
9404581	G	CS 137	.02	.005	PCI/GM D	CU	20-OCT-94
9404581	G	K 40	12.9	.8	PCI/GM D	CU	20-OCT-94
9404581	G	PB 212	.6	.04	PCI/GM D	CU	20-OCT-94
9404581	G	PB 214	.5	.02	PCI/GM D	CU	20-OCT-94
9404581	G	RA 224	.7		PCI/GM D	CU	20-OCT-94
9404581	G	RA 226	.5		PCI/GM D	CU	20-OCT-94
9404581	G	TH 228	1.5	.3	PCI/GM D	CU	20-OCT-94
9404581	G	TH 232	.5	.02	PCI/GM D	CU	20-OCT-94
9404581	G	TH 234	.2	.09	PCI/GM D	CU	20-OCT-94
9404581	G	TL 208	.2	.01	PCI/GM D	CU	20-OCT-94
9404581	G	U 235	.07	.01	PCI/GM D	CU	20-OCT-94

enter analysis method code. Press list of field values key for help.

ount: *15

<List><Replace>

===== COMMENTS =====

ample #	Order	Comment	Culprit
9404581	1	SAMPLE VOLUME 4288.7 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.
Count: *1 <Replace>

===== SAMPLE EDIT =====

Logged Listing Created Y	Work Card or Label Created
Marked For Review N	Sample Okay
Ready to Report	Reported
Priority Sample	

Mail to Q00097Z Copy 1
Received 26-SEP-94 Completed
Reason R ROUTINE

Collected(YYMMDD HRMI) 940920 0800

Name	Weight	Age	Sex	SSAN
Base Sample #	GS943844	Serial #		
Collection Method	G	GRAB		
Sample Type	S	SOIL		
Project ID				
Analyses	ABG			

```
ress <LIST> for list of initials.
ount: *1
```

<List><Replace>

ample #	Method	Isotope	Value	Error	Units	Culprit	Completed
9404582	G	AC 228	.6	.03	PCI/GM D	CU	20-OCT-94
9404582	G	BI 212	.4		PCI/GM D	CU	20-OCT-94
9404582	G	BI 214	.5	.03	PCI/GM D	CU	20-OCT-94
9404582	G	CS 134	.02		PCI/GM D	CU	20-OCT-94
9404582	G	CS 137	8.1	4.9	FCI/GM D	CU	20-OCT-94
9404582	G	K 40	14.9	.9	PCI/GM D	CU	20-OCT-94
9404582	G	PB 212	.6	.05	PCI/GM D	CU	20-OCT-94
9404582	G	PB 214	.5	.03	PCI/GM D	CU	20-OCT-94
9404582	G	RA 224	.7		PCI/GM D	CU	20-OCT-94
9404582	G	RA 226	.5		PCI/GM D	CU	20-OCT-94
9404582	G	TH 228	1.7	.3	PCI/GM D	CU	20-OCT-94
9404582	G	TH 232	.6	.03	PCI/GM D	CU	20-OCT-94
9404582	G	TH 234	.2	.09	PCI/GM D	CU	20-OCT-94
9404582	G	TL 208	.2	.01	PCI/GM D	CU	20-OCT-94
9404582	G	U 235	.06	.01	PCI/GM D	CU	20-OCT-94

enter analysis method code. Press list of field values key for help.

ount: *15

<List><Replace>

H-80

===== COMMENTS =====

Sample #	Order	Comment	Culprit
9404582	1	SAMPLE VOLUME 4265.1 GRAMS DRY.	CU

Enter a sequence number to force print order. Leave blank if not reported.
Count: *1 <Replace>

H-81 / H-52